

GAS RELIEF- simethicone tablet, chewable
Rite Aid Corporation

Rite Aid 44-608

Active ingredient (in each chewable tablet)

Simethicone 125 mg

Purpose

Antigas

Uses

for the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

Keep out of reach of children.

Directions

- **do not take more than directed**
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 or 2 chewable tablets as needed after meals and at bedtime
- do not exceed 4 chewable tablets in 24 hours unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- **each tablet contains:** calcium 85 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, silicon dioxide, starch, sucralose, tribasic calcium phosphate

Questions or comments?

1-800-426-9391

Principal display panel

NDC11822-6080-4

Compare to the active
ingredient in **Gas-X®**
Extra Strength*

EXTRA STRENGTH

GAS RELIEF

SIMETHICONE 125 mg

CHEWABLE TABLETS
ANTIGAS

Helps to relieve:

pressure • bloating • fullness

Chew or crush tablets
completely before swallowing.

ACTUAL
SIZE

CHERRY
FLAVOR

18

CHEWABLE TABLETS

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed
by GSK Consumer Healthcare S.A., owner of the
registered trademark Gas-X® Extra Strength.
50844 REV1220B60844

DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com



Rite Aid 44-608

GAS RELIEF

simethicone tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-6080
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	125 mg

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

CROSPROVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28)	
DIMETHICONE 410 (UNII: TYU5GP6XGE)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	14mm
Flavor	CHERRY	Imprint Code	44;608
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-6080-4	2 in 1 CARTON	01/25/2021	
1		9 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-6080-2	4 in 1 CARTON	01/25/2021	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	01/25/2021	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-6080) , pack(11822-6080)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-6080)

