

FOOT PAIN RELIEF ROLL-ON- lidocaine, menthol liquid
Guangzhou Zhupuyou E-commerce Co., Ltd

84165-017 FOOT PAIN RELIEF ROLL-ON

Lidocaine 4%
Menthol 1%

Topical Analgesic

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hip shoulders, elbows.

For external use only

on wounds or on irritated or damaged skin

with a heating pad or device

with other ointments, creams, sprays, or liniments
if you are allergic to any ingredients of this product

use only as directed

avoid contact with the eyes, mucous membranes, or rashes

do not bandage tightly

do not expose the area to local heat or to direct sunlight

skin reactions such as redness, swelling, blistering or other discomfort occur

condition worsens or symptoms persist for more than 7 days

symptoms clear up and occur again within a few days

redness is present or excessive skin irritation occurs

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Adults and Children above 12 years old:

apply a thin layer to affected area every 6 to 8 hours, not more than 3 to 4 times daily

massage until thoroughly absorbed into skin

wash hands thoroughly with soap and water after each use

children under 12 years of age: ask a doctor

.ALPHA.-TOCOPHEROL, D-

Aloe Vera Extract

Carbomer

Isopropyl myristate

Lavender Oil

Phenoxyethanol

Polysorbate 80

Propylene Glycol

Tartaric acid

Water

www.sumifunofficial.com


YouTube: @sumifun

Facebook: @sumifunOfficial

Twitter: @sumifunOfficial

INS: @sumifunofficial

TikTok: @sumifunofficial

Lidocaine  **MENTHOL**

FOOT PAIN RELIEF ROLL-ON

Maximum Strength

Sumifun[®]

FOOT PAIN RELIEF ROLL-ON



Lidocaine

+Menthol

Desensitizes aggravated nerves and relieves plantar pain

- Numbs away pain**
- Non-Greasy**
- Targets Nerves**

2.5 FL OZ / 73ml



Guangzhou Zhuyouyi E-commerce Co., Ltd.
Room 202-A, No. 5, Lane 1, Qianhai New Village, Tangxia,
Tianhe District, Guangzhou, 510630, China (CHN)

Made in PRC

1

Press down and rotate counterclockwise to open.

2

Apply over painful area.

3

After use, cap tight, keep from kids to avoid ingestion.

4

CHILD-RESISTANT PACKAGING.

Child-resistant packaging.

unjuuns

Drug Facts

| | |
|---------------------------------|--------------------|
| Active ingredients | Purpose |
| Lidocaine 4% | Topical Anesthetic |
| Menthol 1% | Topical Analgesic |

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use
• on wounds or on irritated or damaged skin
• with a heating pad or device
• with other ointments, creams, sprays, or liniments
• if you are allergic to any ingredients of this product

When using this product
• use only as directed
• avoid contact with the eyes, mucous membranes, or rashes
• do not bandage tightly
• do not expose the area to local heat or to direct sunlight

Stop use and ask a doctor if
• skin reactions such as redness, swelling, blistering or other discomfort occur
• condition worsens or symptoms persist for more than 7 days
• symptoms clear up and occur again within a few days
• redness is present or excessive skin irritation occurs

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
• apply a thin layer to affected area every 6 to 8 hours, not more than 3 to 4 times daily
• massage until thoroughly absorbed into skin
• wash hands thoroughly with soap and water after each use
• children under 12 years of age: ask a doctor

Inactive ingredients
ALPHA-TOCOPHEROL, D-, Aloe Vera Extract, Carbomer, Isopropyl myristate, Lavender Oil, Phenylethanol, Polysorbate 80, Propylene Glycol, Tartaric acid, Water

Questions or Comments:
support@sumifunofficial.com
business@sumifunofficial.com

Child-resistant packaging.
Close cap tightly after use.

Maximum Strength

Sumifun[®]

FOOT PAIN RELIEF ROLL-ON

Drug Facts


| | |
|---------------------------------|--------------------|
| Active ingredients | Purpose |
| Lidocaine 4% | Topical Anesthetic |
| Menthol 1% | Topical Analgesic |

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
• apply a thin layer to affected area every 6 to 8 hours, not more than 3 to 4 times daily



Lidocaine
+Menthol

Desensitizes aggravated nerves and relieves plantar pain

- Numbs away pain
- Non-Greasy
- Targets Nerves

2.5 FL OZ / 73ml

Warnings
For external use only

Do not use

- on wounds or on irritated or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly
- do not expose the area to local heat or to direct sunlight

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs

hours, not more than 3 to 4 times daily

- massage until thoroughly absorbed into skin
- wash hands thoroughly with soap and water after each use
- children under 12 years of age: ask a doctor

Inactive ingredients
.ALPHA.-TOCOPHEROL, D-, Aloe Vera Extract, Carbomer, Isopropyl myristate, Lavender Oil, Phenoxyethanol, Polysorbate 80, Propylene Glycol, Tartaric acid, Water

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child-resistant packaging.
Close cap tightly after use.

LOT:
EXP:

FOOT PAIN RELIEF ROLL-ON

lidocaine, menthol liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84165-017 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 4 g in 100 mL |
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 1 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| .ALPHA.-TOCOPHEROL, D- (UNII: N9PR3490H9) | |
| LAVENDER OIL (UNII: ZBP1YXW0H8) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| CARBOMER (UNII: 0A5MM307FC) | |
| TARTARIC ACID (UNII: W4888I119H) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

| | | | | |
|----|------------------|--|------------|--|
| 1 | NDC:84165-017-01 | 1 in 1 BOX | 11/19/2025 | |
| 1 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 2 | NDC:84165-017-02 | 2 in 1 BOX | 11/19/2025 | |
| 2 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 3 | NDC:84165-017-03 | 3 in 1 BOX | 11/19/2025 | |
| 3 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 4 | NDC:84165-017-04 | 4 in 1 BOX | 11/19/2025 | |
| 4 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 5 | NDC:84165-017-05 | 5 in 1 BOX | 11/19/2025 | |
| 5 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 6 | NDC:84165-017-06 | 6 in 1 BOX | 11/19/2025 | |
| 6 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 7 | NDC:84165-017-07 | 7 in 1 BOX | 11/19/2025 | |
| 7 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 8 | NDC:84165-017-08 | 8 in 1 BOX | 11/19/2025 | |
| 8 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 9 | NDC:84165-017-09 | 9 in 1 BOX | 11/19/2025 | |
| 9 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 10 | NDC:84165-017-10 | 10 in 1 BOX | 11/19/2025 | |
| 10 | | 73 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 11/19/2025 | |

Labeler - Guangzhou Zhupuyou E-commerce Co., Ltd (418214143)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---------|-----------|------------------------|
| Shanghai Chuangshi Medical Technology (Group) Co., Ltd. | | 546872672 | manufacture(84165-017) |

