

**MAXIMUM STRENGTH 4% LIDOCAINE PATCH GOOD NEIGHBOR PHARMACY-  
lidocaine patch  
InterMed Laboratories Private Limited**

-----  
**Maximum Strength 4% Lidocaine Patch**

**Active Ingredient**

Lidocaine 4%

**Purpose**

External Analgesic

**Uses**

For temporary relief of pain

**Warnings**

**For external use only**

**Do Not Use**

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- for more than one week without consulting a doctor
- over raw surfaces or blistered areas
- if pouch is damaged or opened

**When Using This Product**

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes

**Stop Use and Ask a Doctor if**

- condition worsens
- skin irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

**If Pregnant or Breast Feeding**

ask a health professional before use.

## **Keep Out of Reach of Children and Pets**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

### **Adults and children over 2 years:**

- clean and dry affected area free of lotions, ointments and creams.
- carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area.
- Do not use more than one patch in a 12 hour period. Maximum 2 patches per day. Discard patch after single use.

**children 2 years or younger:**ask a physician.

## **Inactive Ingredients**

dihydroxy aluminium aminoacetate, disodium EDTA, glycerin, methyl paraben, polyvinyl alcohol, propyl paraben, propylene glycol, sodium carboxy methyl cellulose, sodium polyacrylate, tartaric acid, titanium dioxide, water

## **Bulk Package Label**



## MAXIMUM STRENGTH 4% LIDOCAINE PATCH GOOD NEIGHBOR PHARMACY

lidocaine patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71811-008
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

### Inactive Ingredients

Ingredient Name	Strength
TARTARIC ACID (UNII: W4888I19H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	

<b>GLYCERIN</b> (UNII: PDC6A3C0OX)				
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)				
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)				
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)				
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)				
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)				
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)				
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71811-008-05	5 in 1 CARTON	11/06/2025	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	11/06/2025	

**Labeler** - InterMed Laboratories Private Limited (676244169)