X-TERIL- alcohol gel Agua Medica, S.A. de C.V.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.

Glycerol (1.45% v/v).

Hydrogen peroxide (0.125% v/v).

Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Alcohol 80% v/v. Purpose: Antiseptic

Antiseptic, Hand Sanitizer

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

For external use only. Flammable. Keep away from heat or flame

In children less than 2 months of age On open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

Store between 15-30C (59-86F) Avoid freezing and excessive heat above 40C (104F)

glycerin, hydrogen peroxide, purified water USP

81943-203-03



X-TERIL

alcohol gel

_			
Dra	HIICT.	Inform	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:81943-203

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)
ALCOHOL
75 L in 100 L

Inactive Ingredients				
Ingredient Name	Strength			
TRIETHANOLAMINE LAURYL SULFATE (UNII: E8458C1KAA)	1.7 L in 100 L			
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)	0.42 L in 100 L			
CARBOMER 940 (UNII: 4Q93RCW27E)	0.22 L in 100 L			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81943-203- 03	20 L in 1 DRUM; Type 0: Not a Combination Product	03/30/2020	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		03/30/2020			

Labeler - Aqua Medica, S.A. de C.V. (589696442)

Establishment					
Name	Address	ID/FEI	Business Operations		
Aqua Medica, S.A. de C.V.		589696442	manufacture(81943-203)		

Revised: 11/2025 Aqua Medica, S.A. de C.V.