ACNE TREATMENT- acne treatment gel Jiangxi Zhongteng Pharmaceutical Co., Ltd

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Adapalene

For the treatment of acne wamings for external use only keep out of reach of children section For the treatment of acne wamings for external use only

Once a day

keep out of children

Once a day

Carbomer, Methylparaben, Propylene Glycol, Water

40*138*22mm



130*90mm

HatenuoL

ADAPALENE GEL 0.1% instructions

Other Ingredients:
Carbomer, Methylparaben, Poloxamer 182, Propylene Glycol, Water, Ethanol,
Acrylates/Stearyl Methacrylate Copolymer. May contain hydrochloric acid, used to adjust pH

Precautions for Use

- I. Do not use the acne cream around the eyes or on the eyes.

 2. The following people should consult a doctor, pharmacist, or manufacturerbefore using:Patients seeing a doctor.People allergic to medications or cosmetics.
- orcosmetics. People with severe ulcreation in the affected area.

 3. If any of the following symptoms occur after use, please stop using itimmediately and consult a doctor, pharmacist, or manufacturer.

 4. If symptoms do not improve after one month of using this product or if theybecome more severe, please stop using it and consult a doctor, pharmacist, or manufacturer.

 Related Notes on Usage and Dosage:

 1. This product is joint to the used on a gree and nimple, affected areas:

- Related Notes on Usage and Dosage:

 Liftis product is only to be used on acne and pimple-affected areas; pleasedo not use it on the surrounding areas.

 2. Be careful not to get it in the eyes. If it does enter the eyes, please in risesimmediately with cold or warm water. If discomfort continues after rinsing, please consult an ophthalmologist immediately.
- 3. When used by children, please use under adult supervision. 4. This product is for external use only.

- 4. This product is for external use only.

 Storage Precaudions:

 1, Store in a cool place and avoid exposure to high temperatures and direct sunlight.

 2. Keep out of reach of young children to prevent accidental ingestion.

 3. Do not replace the product container (this could lead to misuse or
- spoilage).
 4. Do not use the product after the expiration date.

ACNE TREATMENT

acne treatment gel

Product	Inform	ation
Product	Intorm	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:87240-396

Route of Administration CUTANEOUS

Active Ingredient/Active Moiety

ı	Ingredient Name	Basis of Strength	Strength
п			

ADAPALENE (UNII: 1L4806J2QF) (ADAPALENE - UNII:1L4806J2QF) ADAPALENE 1 g

Inactive Ingredients

Ingredient Name

Strength

CARBOMER 934 (UNII: Z135WT9208)	
ALUMINUM DICHLOROHYDREX PROPYLENE GLYCOL (UNII: H6G5Q1T4LH)	
POLOXAMER 182 (UNII: JX0HIX6OAG)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87240-396- 14	5 in 1 BOX	11/20/2025	
1		1 in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	11/20/2025		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Jiangxi Zhongteng Pharmaceutical Co., Ltd (725802494)

Registrant - Jiangxi Zhongteng Pharmaceutical Co., Ltd (725802494)

Establishment			
Name	Address	ID/FEI	Business Operations
Jiangxi Zhongteng Pharmaceutical Co., Ltd		725802494	manufacture(87240-396) , label(87240-396)

Revised: 11/2025 Jiangxi Zhongteng Pharmaceutical Co., Ltd