

MILK OF MAGNESIA ORIGINAL- magnesium hydroxide liquid
Chain Drug Marketing Association

qc mom

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use

- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of liquid

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- **each 15 mL contains:** magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

Inactive ingredients

purified water, sodium hypochlorite

package label

NDC 83324-188-12



*Compare to the Active Ingredient in Phillips® Milk of Magnesia

Milk of Magnesia

Saline Laxative

Effective Overnight Relief
Very Low Sodium
Stimulant & Sugar Free

Original Flavor

12 FL OZ (355 mL)
 REV GC-0225
231-19112-4

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

Drug Facts	Purpose
Active ingredient (in each 15 mL) Magnesium hydroxide 1200 mg	Saline laxative
Use	
<ul style="list-style-type: none"> • relieves occasional constipation (irregularity) • generally produces bowel movement in ½ to 6 hours 	
Warnings	
Do not use if you have ever had an allergic reaction to this product or any of its ingredients	
Ask a doctor before use if you have	
<ul style="list-style-type: none"> • a magnesium-restricted diet • a sudden change in bowel habits that lasts more than 14 days 	<ul style="list-style-type: none"> • kidney disease • stomach pain, nausea or vomiting
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> • you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. • you need to use a laxative for more than 1 week 	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> • shake well before use • do not exceed the maximum recommended daily dose in a 24 hour period • dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor • follow each dosage with a full glass (8 oz) of liquid 	
age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor
Other information	
<ul style="list-style-type: none"> • each 15 mL contains: magnesium 500 mg • store at room temperature and avoid freezing • close cap tightly after use 	
Inactive ingredients purified water, sodium hypochlorite	
*This product is not manufactured or distributed by Bayer Healthcare LLC., distributors of Phillips® brand Milk of Magnesia.	



6 35515 90124 7



Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

931-19112-6
REV GC-0225

MILK OF MAGNESIA ORIGINAL			
magnesium hydroxide liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-188
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL	

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-188-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/01/2025	

Labeler - Chain Drug Marketing Association (011920774)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(83324-188)

Revised: 11/2025

Chain Drug Marketing Association