

GOOD SENSE PAIN RELIEF- acetaminophen tablet
NuCare Pharmaceuticals, Inc.

Perrigo Pain Relief Tablets Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

1. temporarily relieves minor aches and pains due to:
2. the common cold
3. headache
4. minor pain of arthritis
5. backache
6. muscular aches
7. toothache
8. premenstrual and menstrual cramps
9. temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if the user has ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if the user

1. has liver disease
2. is a child with pain of arthritis

Ask a doctor or pharmacist before use if the user is

taking the blood thinning drug warfarin

Stop use and ask a doctor if

1. new symptoms occur
2. pain gets worse or lasts more than 10 days (for adults) or 5 days (for children)
3. fever gets worse or lasts more than 3 days
4. redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	• take 2 tablets every 4 to 6 hours while symptoms last • do not take more than 10 tablets in 24 hours • do not use for more than 10 days unless directed by a doctor
children 6-11 years	• take 1 tablet every 4 to 6 hours while symptoms last • do not take more than 5 tablets in 24 hours • do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Inactive ingredients

croscarmellose sodium*, povidone, pregelatinized starch, stearic acid *may contain this ingredient

Questions or comments?

1-800-719-9260



NuCare Pharmaceuticals, Inc.

NDC: 68071-3917-6

Acetaminophen 325mg

#6 Tablets

Round white scored tablet imprint 325MG on the score side and L403 on the other side
 Each tablet contains: Acetaminophen 325mg. Pain reliever/fever reducer Warnings:
 Liver Warning: This product contains Acetaminophen. Severe liver damage may occur if, adult takes more than 4,000mg of Acetaminophen in 24 hours, child takes more than 5 doses in 24 hours, taken with other drugs containing Acetaminophen, adult has 3 or more alcoholic drinks every day while using this product. Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use with any other drug containing Acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains Acetaminophen, ask a doctor or pharmacist. If the user has ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if the user has liver disease, is a child with pain of arthritis. Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin. Stop use and ask a doctor if, pain gets worse or lasts more than 10 days (for adults) or 5 days (for children), fever gets worse or lasts more than 3 days, new symptoms occur, redness or swelling is present. These could be signs of a serious condition. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Product #: P0850006ER

Acetaminophen 325mg
#6 Tablets
Lot: 00000
Exp.: 00-00
MFR NDC: 0113-0403-78

WARNING: KEEP OUT OF REACH OF CHILDREN STORE AT CONTROLLED TEMPERATURE 68-77°F.

Take _____ every _____ hours

times a day.

Patent Instructions

Rev. 01/01/19

Package By:
 NuCare Pharmaceuticals, Inc. Orange, CA 92667
 Call your doctor for medical advice about side effects.
 You may report side effects to FDA at 1-800-FDA-1088.

Distributed by:
 Perrigo Allegan, MI 49010

GTIN 00368071391763
Serial# 0000000002
Exp. Date 00-00
Lot#: 00000

acetaminophen tablet

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-3917(NDC:0113-0403)
Route of Administration	ORAL		

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Color	white	Score	no score
Shape	ROUND (beveled edge)	Size	10mm
Flavor		Imprint Code	325MG;L403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-3917-6	1 in 1 CARTON	11/20/2025	
1		6 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/15/1989	

Labeler - NuCare Pharamceuticals, Inc. (010632300)**Establishment**

Name	Address	ID/FEI	Business Operations
NuCare Pharamceuticals, Inc.		010632300	repack(68071-3917)

Revised: 11/2025

NuCare Pharamceuticals, Inc.