#### AIR- air gas MITCHELL WELDING SUPPLY

-----

#### Air

AIR, COMPRESSED

UN1002

Medical Air, USP

Rx only. WARNING: Administration of Medical Air may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. SUPPORTS COMBUSTION. Obtain, read and follow all safety instructions before use. Use a back flow preventive device in the piping. Mixture of Oxygen USP and Nitrogen NF. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 132259-10-0 DO NOT REMOVE THIS PRODUCT LABEL.

**MWS** 

Mitchell Welding Supply

3539 Highway 271

Tyler, TX 75708

903-593-7343

www.mitchellwelding.com

CONTENTS: LTRS: CU.FT.



AIR, COMPRESSED

UN1002

MEDICAL AIR, USP

CONTENTS: LTRS: CU.FT.

WARNING: Rx only. Administration of Medical Air may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. SUPPORTS COMBUSTION. Obtain, read and follow all safety instructions before use. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 132259-10-0

DO NOT REMOVE THIS PRODUCT LABEL.

**MWS** 

Mitchell Welding Supply 3539 Highway 271 Tyler, TX 75708 903-593-7343

www.mitchellwelding.com

### AIR, **COMPRESSED**



# **UN1002**

### **MEDICAL AIR, USP**

CONTENTS:

LTRS: CU.FT.

Rx only. Administration of Medical Air may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be

WARNING:

CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. SUPPORTS COMBUSTION. Obtain, read and follow all safety instructions before use. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

> CAS: 132259-10-0 DO NOT REMOVE THIS PRODUCT LABEL.



3539 Highway 271 Tyler, TX 75708 903-593-7343 www.mitchellwelding.com



#### **AIR**

air gas

Product Inform	ation

**Product Type HUMAN PRESCRIPTION DRUG Item Code (Source)** NDC:72276-005

**Route of Administration** RESPIRATORY (INHALATION)

#### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength **OXYGEN** 210 mL in 1 L **OXYGEN** (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)

#### **Inactive Ingredients**

**Ingredient Name** Strength

790 mL in 1 L NITROGEN (UNII: N762921K75)

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	-------------------------	-----------------------

NDC:72276-005- 190 L in 1 CYLINDER; Type 0: Not a Combination

01	Product	01/01/2020				
Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
NDA	NDA205765	01/01/2020				

## Labeler - MITCHELL WELDING SUPPLY (047833462)

Establishment						
Name	Address	ID/FEI	<b>Business Operations</b>			
Mitchell Welding Supply		118920889	manufacture(72276-005)			

Revised: 11/2025 MITCHELL WELDING SUPPLY