

ICEQUAKE LIDOCAINE ANALGESIC- lidocaine hydrochloride liquid

Dextrum Laboratories, Inc

IceQuake Lidocaine Analgesic

ACTIVE INGREDIENTS:

Lidocaine HCl 4%



PURPOSE

Topical Anesthetic



Do not use

- on large areas of the body or on cut, irritated or swollen skin or on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to area of use

Drug Facts	
Active ingredient Lidocaine HCl 4%,.....	Purpose Topical anesthetic
Use Temporarily relieves minor pain	
Warnings For external use only	
Do not use ■ on large areas of the body or on cut, irritated or swollen skin ■ for more than one week without consulting a doctor	
When using this product ■ use only as directed. Read and follow all directions and warnings on this label. ■ do not allow contact with the eyes ■ do not bandage or apply local heat (such as heating pads) to area of use	
Stop use and ask a doctor if condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Flammable ■ keep away from fire or flame	
If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period - children 12 years or younger: ask a doctor	
Inactive ingredients Disodium EDTA, isopropyl alcohol, glycerin, methylparaben, polysorbate 20, propylparaben, purified water, xanthan gum.	


Stop use and ask a doctor if condition worsens

- symptoms persist for more than 7 days or clear up and occur again within a few days

Drug Facts	
Active ingredient Lidocaine HCl 4%,.....	Purpose Topical anesthetic
Use Temporarily relieves minor pain	
Warnings For external use only	
Do not use ■ on large areas of the body or on cut, irritated or swollen skin ■ for more than one week without consulting a doctor	
When using this product ■ use only as directed. Read and follow all directions and warnings on this label. ■ do not allow contact with the eyes ■ do not bandage or apply local heat (such as heating pads) to area of use	
Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Flammable ■ keep away from fire or flame	
If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ■ children 12 years or younger: ask a doctor	
Inactive ingredients Disodium EDTA, isopropyl alcohol, glycerin, methylparaben, polysorbate 20, propylparaben, purified water, xanthan gum.	

Warnings

For external use only



Indication & usage section

Use Temporarily relieves minor pain

- adults and children over 12 years:

apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period

- children 12 years or younger: ask a doctor

Drug Facts	
Active ingredient Lidocaine HCl 4%,.....	Purpose Topical anesthetic
Use Temporarily relieves minor pain	
Warnings For external use only	
Do not use ■ on large areas of the body or on cut, irritated or swollen skin ■ for more than one week without consulting a doctor	
When using this product ■ use only as directed. Read and follow all directions and warnings on this label. ■ do not allow contact with the eyes ■ do not bandage or apply local heat (such as heating pads) to area of use	
Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Flammable ■ keep away from fire or flame	
If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ■ children 12 years or younger: ask a doctor	
Inactive ingredients Disodium EDTA, isopropyl alcohol, glycerin, methylparaben, polysorbate 20, propylparaben, purified water, xanthan gum.	

if pregnant or breast-feeding ask a health professional before use.

Drug Facts	
Active ingredient Lidocaine HCl 4%,.....	Purpose Topical anesthetic
Use Temporarily relieves minor pain	
Warnings For external use only	
Do not use ■ on large areas of the body or on cut, irritated or swollen skin ■ for more than one week without consulting a doctor	
When using this product ■ use only as directed. Read and follow all directions and warnings on this label. ■ do not allow contact with the eyes ■ do not bandage or apply local heat (such as heating pads) to area of use	
Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Flammable ■ keep away from fire or flame	
If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ■ children 12 years or younger: ask a doctor	
Inactive ingredients Disodium EDTA, isopropyl alcohol, glycerin, methylparaben, polysorbate 20, propylparaben, purified water, xanthan gum.	

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts	
Active ingredient Lidocaine HCl 4%,.....	Purpose Topical anesthetic
Use Temporarily relieves minor pain	
Warnings For external use only	
Do not use ■ on large areas of the body or on cut, irritated or swollen skin ■ for more than one week without consulting a doctor	
When using this product ■ use only as directed. Read and follow all directions and warnings on this label. ■ do not allow contact with the eyes ■ do not bandage or apply local heat (such as heating pads) to area of use	
Stop use and ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Flammable ■ keep away from fire or flame	
If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ■ children 12 years or younger: ask a doctor	
Inactive ingredients Disodium EDTA, isopropyl alcohol, glycerin, methylparaben, polysorbate 20, propylparaben, purified water, xanthan gum.	

Inactive ingredients

Disodium EDTA, isopropyl alcohol, glycerin, methylparaben, polysorbate 20, propylparaben, purified water, xanthan gum.


Drug Facts	
Active ingredient Lidocaine HCl 4%,.....	Purpose Topical anesthetic
Use Temporarily relieves minor pain	
Warnings For external use only	
Do not use	
■ on large areas of the body or on cut, irritated or swollen skin ■ for more than one week without consulting a doctor	
When using this product	
■ use only as directed. Read and follow all directions and warnings on this label. ■ do not allow contact with the eyes ■ do not bandage or apply local heat (such as heating pads) to area of use	
Stop use and ask a doctor if	
■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Flammable ■ keep away from fire or flame	
If pregnant or breast-feeding ask a health professional before use.	
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
■ adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ■ children 12 years or younger: ask a doctor	
Inactive ingredients	
Sodium EDTA, isopropyl alcohol, glycerin, methylparaben, polysorbate 20, propylparaben, purified water, xanthan gum.	

DOSAGE AND ADMINISTRATION:

- adults and children over 12 years:

apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period

- children 12 years or younger: ask a doctor



ICE

QUAKE

Maximum Strength

4%. peel back here

Lidocaine

Topical Analgesic Liquid

2.5 fl.oz. (74 ml)

IceQuake®

Roll On Applicator

- Fast Acting
- Numbing
- No Irritation
- Unscented

NDC# 69822-430-03

DRUG FACTS

ACTIVE INGREDIENTS: PURPOSE

Lidocaine HCl 4%..... Topical Anesthetic

DRUG FACTS CONTINUED LIFT LABEL AT TOP RIGHT



ICEQUAKE LIDOCAINE ANALGESIC

lidocaine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65852-026
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

XANTHAN GUM (UNII: TTV12P4NEE)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65852-026-03	74 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	08/01/2022	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	08/01/2022	

Labeler - Dextrum Laboratories, Inc (007392322)

Establishment			
Name	Address	ID/FEI	Business Operations
Dextrum Laboratories, Inc		007392322	manufacture(65852-026)

Revised: 11/2025

Dextrum Laboratories, Inc