

**NICDUIC QUIT SMOKING NICOTINE PATCHES 1-3 STEP- 7mg nicotine
patches patch
Shenzhen Paxi Trading Co., Ltd.**

85835-013 014 015 Kit

Active Ingredient

Nicotine 21mg/14mg/7mg

Purpose

Stopsmoking aid

Use

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Apply one new patch every 24 hours on skin that is dry, clean and hairless. Remove backing from patch and immediately press onto skin. Hold for 10 seconds. Wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch. The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time.

Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

Warnings

If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider.

Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Do not use

Ask a doctor before use if you have

- heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
- high blood pressure not controlled with medication. Nicotine can increase your blood pressure.
- an allergy to adhesive tape or have skin problems, because you are more likely to get rashes.
- Stomach ulcer or diabetes.
- History of seizures.

Ask Doctor

Ask a doctor or pharmacist before use if you are

- using a non-nicotine stop smoking drug.
- taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

When Using

When using this product

- if you have vivid dreams or other sleep disturbances remove this patch at bedtime.

Stop Use

Stop use and ask a doctor if

- skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash.
- irregular heartbeat or palpitations occur.
- you get symptoms of nicotine overdose, such as persistent nausea, vomiting, dizziness, weakness and rapid heartbeat.
- You have symptoms of an allergic reaction (such as difficulty breathing or rash).

Keep Out Of Reach Of Children

Keep out of reach of children and pets

Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center 1-800-222-1222 right away. Save the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

Directions

If you are under 18 years of age, ask a doctor before use.

Before using this product, read the enclosed self-help guide for complete directions and other information.

Begin using the patch on your quit day.

If you smoke more than 10 cigarettes per day, use the following schedule below:

Weeks 1 to 4

STEP 1

use one 2mg patch/day

Weeks 5 and 6

STEP 2

use one 14 mg patch/day

Weeks 7 and 8

STEP 3

use one 7mg patch/day

If you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 2 weeks. (Read the enclosed self-help guide for additional information.)

Apply one new patch every 24 hours on skin that is dry, clean and hairless.

Wash hands after applying or removing patch. Save pouch to use for patch disposal.

Dispose of the used patches by folding sticky ends together and putting in pouch.

The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time.

Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

Other information

Store at room temperature

Inactive ingredients


acrylate adhesive, aluminized polyester, cellulose paper, methacrylic acid copolymer.

Questions

After-sales service contact information:

For any product inquiries, contact us: ParuiTrade@outlook.com

PRINCIPAL DISPLAY PANEL



NICDUIC QUIT SMOKING NICOTINE PATCHES 1-3 STEP

7mg nicotine patches patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85835-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	7 mg in 100

Inactive Ingredients

Ingredient Name	Strength
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
POLYESTER-7 (UNII: 0841698D2F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85835-015-01	15 in 1 BOX; Type 0: Not a Combination Product	11/22/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/22/2025	

NICDUIC QUIT SMOKING NICOTINE PATCHES 1-3 STEP

21mg nicotine patches patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85835-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	21 mg in 100

Inactive Ingredients

Ingredient Name	Strength
POLYESTER-7 (UNII: 0841698D2F)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85835-013-01	30 in 1 BOX; Type 0: Not a Combination Product	11/22/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/22/2025	

NICDUIC QUIT SMOKING NICOTINE PATCHES 1-3 STEP

14mg nicotine patches patch

Product Information

Product Type		HUMAN OTC DRUG	Item Code (Source)		NDC:85835-014	
Route of Administration		TOPICAL				
Active Ingredient/Active Moiety						
Ingredient Name				Basis of Strength		Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)				NICOTINE		14 mg in 100
Inactive Ingredients						
Ingredient Name						Strength
POLYESTER-7 (UNII: 0841698D2F)						
POWDERED CELLULOSE (UNII: SMD1X3XO9M)						
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)						
ACRYLIC ACID (UNII: J94PBK7X8S)						
Packaging						
#	Item Code	Package Description		Marketing Start Date		Marketing End Date
1	NDC:85835-014-01	15 in 1 BOX; Type 0: Not a Combination Product		11/22/2025		
Marketing Information						
Marketing Category		Application Number or Monograph Citation		Marketing Start Date		Marketing End Date
OTC Monograph Drug		M017		11/22/2025		

Labeler - Shenzhen Paxi Trading Co., Ltd. (633886766)

Establishment			
Name	Address	ID/FEI	Business Operations
Shenzhen Paxi Trading Co., Ltd.		633886766	manufacture(85835-013, 85835-014, 85835-015)