

**TRIAMCINOLONE ACETONIDE- triamcinolone acetonide spray, metered
Cardinal Health (Leader) 70000**

Drug Facts

Active ingredient (in each spray)

Triamcinolone acetonide 55 mcg (glucocorticoid)

Purpose

Allergy symptom reliever

Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- runny nose
- sneezing
- itchy nose

Warnings

Do not use

- In children under 2 years of age
- If you have ever had an allergic reaction to any of the ingredients

Ask a doctor before use if you

- have had recent nose ulcers or nose surgery
- have had a nose injury that has not healed
- are using a steroid medicine for asthma, allergies or skin rash
- have an eye infection
- have or had glaucoma or cataracts

When using this product

- the growth rate of some children may be slower
- some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.
- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come in contact with someone who has, chickenpox, measles or tuberculosis

- you have or develop symptoms of an infection such as persistent fever
- you have any change in vision
- you have severe or frequent nosebleeds

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1800-222-1222) right away.

Directions

Read insert (*inside package) on how to:

- **get a new bottle ready (primed before first use**
- **prime bottle again if not used for more than 2 weeks**
- **use the spray nozzle**

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

adults and children 12 years of age and older

- once daily, spray 2 times into each nostril while sniffing gently
- once your allergy symptoms improve, reduce to 1 spray in each nostril per day

CHILDREN 2 TO UNDER 12 YEARS OF AGE

- the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child to use the spray for longer than two months a year

children 6 to under 12 years of age

- an adult should supervise use
- once daily, spray 1 time into each nostril while sniffing gently
- if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.

children 2 to under 6 years of age

- an adult should supervise use
- once daily, spray 1 time into each nostril while sniffing gently

CHILDREN UNDER 2 YEARS OF AGE

- **do not use**
- **do not use more than directed**
- if you forget a dose, do not double the next dose

- do not spray into the eyes or mouth
- if allergy symptoms do not improve after one weeks, stop using and talk to a doctor
- do not use for the common cold
- shake well before each use

Other information

- **TAMPER EVIDENT: DO NOT USE IF SEALS ON CARTON ARE BROKEN OR MISSING**
- keep package and insert. They contain important information.
- Store upright 20°C to 25°C (68°F to 77°F)

Inactive ingredients

benzalkonium chloride solution (50% W/V) carboxymethylcellulose sodium, dextrose monohydrate, edetate disodium dihydrate, hydrochloric acid, microcrystalline cellulose, polysorbate 80 purified water, sodium hydroxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO NASACORT® ALLERGY 24HR active ingredient*

Original Prescription Strength

Triamcinolone Acetonide

Nasal Spray, USP

55 mcg per spray

Allergy Symptom Reliever

(Glucocorticoid)**

Multi-Symptom

24-HR Relief of:

Nasal Congestion

Runny Nose

Itchy Nose

Sneezing

Non-Drowsy

Scent-Free

Alcohol-Free

FL OZ (mL)

**Triamcinolone Acetonide is a steroid medicine known as a glucocorticoid.

*This product is not manufactured or distributed by Sanofi Consumer Healthcare NA, Distributor of Nasacort® Allergy 24HR

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

Package label

LEADERTM

NDC 70000-0742-1
Triamcinolone Acetonide
Nasal Spray, USP
55 mcg Per Spray
Allergy Symptom Reliever
(Glucocorticoid)

120 Sprays
0.57 FL OZ (16.9 mL)

Important: Read and keep carton and insert for complete warnings, directions and other important information.

CHILDREN 2 TO UNDER 12 YEARS OF AGE: Talk to your child's doctor if your child needs to use the spray for longer than two months a year.

Keep out of reach of children.

Store between 20°C to 25°C (68°F to 77°F). Shake well before each use.

Questions or comments? Call 1-877-753-3935

477876 PLD-A906A LB010489 **CIN 6040554** REV. 08/25

DIST. BY CAH, DUBLIN, OH 43017
©2025 Cardinal Health.
www.myleader.com
1-800-200-6313
Product of India

100% Money Back Guarantee

Return to place of purchase.

LEADER Triamcinolone Acetonide Nasal Spray

<p>Drug Facts</p> <p>Active Ingredient Purpose</p> <p>Triamcinolone acetonide 55 mcg (glucocorticoid).....Allergy symptom reliever</p> <p>Uses</p> <p>temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none">■ nasal congestion■ runny nose■ sneezing■ itchy nose <p>Warnings</p> <p>Do not use</p> <ul style="list-style-type: none">■ In children under 2 years of age■ If you have ever had an allergic reaction to any of the ingredients <p>Ask a doctor before use if you</p> <ul style="list-style-type: none">■ have had recent nose ulcers or nose surgery■ have had a nose injury that has not healed■ are using a steroid medicine for asthma, allergies or skin rash■ have an eye infection■ have or had glaucoma or cataracts <p>When using this product</p> <ul style="list-style-type: none">■ the growth rate of some children may be slower■ some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.■ do not share this bottle with anyone else as this may spread germs■ remember to tell your doctor about all the medicines you take, including this one <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none">■ you have, or come into contact with someone who has chickenpox, measles or tuberculosis■ you have or develop symptoms of an infection such as a persistent fever■ you have any change in vision■ you have severe or frequent nosebleeds <p>If pregnant or breast-feeding, ask a health professional before use.</p>	<p>Drug Facts (continued)</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions</p> <p>Read insert (inside package) on how to:</p> <ul style="list-style-type: none">■ get a new bottle ready (primed) before first use■ prime bottle again if not used for more than 2 weeks■ use the spray■ clean the spray nozzle <p>ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER</p> <p>adults and children 12 years of age and older</p> <ul style="list-style-type: none">■ once daily, spray 2 times into each nostril while sniffing gently■ once your allergy symptoms improve, reduce to 1 spray in each nostril per day <p>CHILDREN 2 TO UNDER 12 YEARS OF AGE</p> <p>the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.</p> <p>children 6 to under 12 years of age</p> <ul style="list-style-type: none">■ an adult should supervise use■ once daily, spray 1 time into each nostril while sniffing gently <p>■ if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.</p> <p>children 2 to under 6 years of age</p> <ul style="list-style-type: none">■ an adult should supervise use■ once daily, spray 1 time into each nostril while sniffing gently <p>children under 2 years of age</p> <ul style="list-style-type: none">■ do not use■ do not use more than directed■ if you forget a dose, do not double the next dose■ do not spray into the eyes or mouth■ if allergy symptoms do not improve after one week, stop using and talk to a doctor■ do not use for the common cold■ shake well before each use
--	--

LEADERTM

NDC 70000-0742-1

Original Prescription Strength

Triamcinolone Acetonide

Nasal Spray, USP

55 mcg Per Spray

Allergy Symptom Reliever

(Glucocorticoid)**

Multi-Symptom

24 HR Relief of:

- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing

Non-Drowsy
Scent-Free
Alcohol-Free

COMPARE TO NASACORT® ALLERGY 24HR active ingredient*

100% Money Back Guarantee

120 SPRAYS

0.57 FL OZ (16.9 mL)

**Triamcinolone Acetonide is a steroid medicine known as a glucocorticoid.



Actual Size



477887

ING2212-1

CIN 6040554 REV. 08/25



0 96295 14546 5

PLD-A906A FD009484

LEADER Triamcinolone Acetonide Nasal Spray

TRIAMCINOLONE ACETONIDE

triamcinolone acetonide spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0742
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TRIAMCINOLONE ACETONIDE (UNII: F446C597KA) (Triamcinolone Acetonide - UNII:F446C597KA)	TRIAMCINOLONE ACETONIDE	55 ug

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0742-1	1 in 1 CARTON	11/26/2025	
1		120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA214615	11/26/2025	

Labeler - Cardinal Health (Leader) 70000 (063997360)