

**EXTRA STRENGTH ACETAMINOPHEN- acetaminophen tablet, coated**  
**Grocery Outlet, Inc.**

-----  
**Grocery Outlet Acetaminophen 500 mg Tablets**

***Drug Facts***

-

***Active ingredient (in each caplet)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
  - temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

-

**Overdose warning:**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

---

adults and children 12 years and over	<ul style="list-style-type: none"> <li>• take 2 caplets every 6 hours while symptoms last</li> <li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>• do not take for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

---

**Other information**

- SODIUM FREE
- store between 20-25°C (68-77°F) excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

## Inactive ingredients

hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid, titanium dioxide

\*may contain this ingredient

## Questions or comments?

Call 1-877-290-4008

**STOP PELLING**

Adhesive Area

<p><b>Drug Facts (continued)</b></p> <p>Ask a doctor before use if you have liver disease</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> <li>■ pain gets worse or lasts more than 10 days</li> <li>■ fever gets worse or lasts more than 3 days</li> <li>■ new symptoms occur</li> <li>■ redness or swelling is present</li> </ul> <p>These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p>Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	
<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ do not take more than directed (see overdose warning)</li> </ul> <p>adults and children 12 years and over</p> <ul style="list-style-type: none"> <li>■ take 2 caplets every 6 hours while symptoms last</li> <li>■ do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>■ do not take for more than 10 days unless directed by a doctor</li> </ul> <p>children under 12 years ask a doctor</p>	<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ SODIUM FREE</li> <li>■ store between 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)</li> <li>■ use by expiration date on package</li> </ul> <p><b>Inactive ingredients</b> hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate**, stearic acid, titanium dioxide</p> <p>**may contain this ingredient</p>
<p><b>Questions or comments?</b> Call 1-877-290-4008</p>	

Inside

1/16" Margin

NDC 85828-341-20


Compare to active ingredient in Extra Strength Tylenol\*\*

EXTRA STRENGTH  
Acetaminophen

CAPLETS, 500 mg

Pain Reliever /  
Fever Reducer

For Adults




Actual Size

200 CAPLETS<sup>1</sup>

<sup>1</sup>Capsule-Shaped Tablets

GO

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING.

<b>Drug Facts</b>	<b>Purpose</b>
Acetaminophen 500 mg.....Pain reliever/fever reducer	
<b>Uses</b>	<ul style="list-style-type: none"> <li>■ temporarily relieves minor aches and pains due to:                             <ul style="list-style-type: none"> <li>■ the common cold</li> <li>■ headache</li> <li>■ minor pain of arthritis</li> <li>■ toothache</li> </ul> </li> <li>■ muscular aches</li> <li>■ premenstrual and menstrual cramps</li> <li>■ temporarily reduces fever</li> </ul>
<b>Warnings</b>	<p><b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take</p> <ul style="list-style-type: none"> <li>■ more than 4,000 mg of acetaminophen in 24 hours</li> <li>■ with other drugs containing acetaminophen</li> <li>■ 3 or more alcoholic drinks every day while using this product</li> </ul> <p><b>Allergy alert:</b> Acetaminophen may cause severe skin reactions.</p> <p>Symptoms may include: ■ skin reddening ■ blisters ■ rash</p> <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</li> <li>■ if you are allergic to acetaminophen or any of the inactive ingredients in this product</li> </ul>
<p><b>Drug Facts (continued under label)</b></p> <p style="font-size: x-small;">*This product is not manufactured or distributed by Kenue Inc., owner of the registered trademark Extra Strength Tylenol®.</p> <p style="font-size: x-small;">DISTRIBUTED BY: Grocey Outlet, Inc., Emeryville, CA 94608 www.groceyoutlet.com Made in India.</p>	
<div style="display: flex; align-items: center;">  <div style="margin-left: 10px; font-size: x-small;"> <p>GM006</p> <p>1101598356517</p> <p>341R0126</p> </div> </div> <p style="text-align: center; font-weight: bold; font-size: large;">COUNT 100% ON US MONEY BACK GUARANTEE 8</p>	
<p>LOT: _____</p> <p>EXP: _____</p> <p style="text-align: center; font-size: x-small; color: red;">SEE HERE</p>	Varnish Omit Area

## EXTRA STRENGTH ACETAMINOPHEN

acetaminophen tablet, coated

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:85828-341

**Route of Administration** ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z 65AP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MINERAL OIL (UNII: T5L8T28FGP)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	white	Score	no score
Shape	OVAL (Capsule Shaped tablet)	Size	17mm
Flavor		Imprint Code	TCL;341
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85828-341-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	03/12/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/12/2026	

**Labeler** - Grocery Outlet, Inc. (029161585)

**Registrant** - TIME CAP LABORATORIES, INC (037052099)

### Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(85828-341)

