

**LAXATIVE- bisacodyl tablet, delayed release**  
**Publix Super Markets Inc**

-----  
**Publix 44-676A**

***Active ingredient (in each tablet)***

Bisacodyl USP, 5 mg

***Purpose***

Stimulant laxative

***Uses***

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

**When using this product**

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness, and cramps

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid excessive humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose, polydextrose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate

***Principal display panel***

NDC 56062-976-01

P

**laxative**

**BISACODYL USP, 5 mg**

STIMULANT LAXATIVE

- Gentle, dependable constipation relief

**30**

COMFORT

COATED TABLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

50844 REV0923A67601

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,

3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811  
1-888-267-3037 **publix.com**

**PUBLIX GUARANTEE:** COMPLETE  
SATISFACTION OR YOUR MONEY BACK

**Publix®**

B9991R1

**Drug Facts (continued)**

**Warnings**  
Do not use if you cannot swallow without chewing.  
Ask a doctor before use if you have a sudden change in bowel habits that lasts more than 2 weeks  
stomach pain, nausea or vomiting

**When using this product**  
do not chew or crush tablets  
do not use within 1 hour after taking an antacid or milk  
it may cause stomach discomfort, flatness, and cramps

**Stop use and ask a doctor if**  
you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition  
you need to use a laxative for more than 1 week  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Inactive ingredients**  
#40 aluminum lake, hypromellose, lactose anhydrous, carmine, colloidal silicon dioxide, corn starch, FD&C red magnesium stearate, methacrylic acid, microcrystalline

**Other information**  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
avoid excessive humidity  
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
see end flap for expiration date and lot number

**Directions** do not take more than directed  
take with a glass of water  
adults and children 12 years and over take 1 to 3 tablets in a single daily dose  
children 6 to under 12 years take 1 tablet in a single daily dose  
children under 6 years ask a doctor

**Drug Facts**  
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredient (in each tablet)**  
Bisacodyl USP, 5 mg ..... Stimulant laxative

**Purpose**  
Stimulant laxative

**Uses**  
for relief of occasional constipation (irregularity)  
this product generally produces bowel movement in 6 to 12 hours

**Drug Facts (continued)**

B-1518-676A-01-R  
REV0923A67601

NDC 56062-976-01

**laxative**  
**BISACODYL USP, 5 mg**  
STIMULANT LAXATIVE

Gentle, dependable constipation relief

**30 COMFORT COATED TABLETS**

 ACTUAL SIZE

**Publix**  
50844 REV0923A67601  
DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,  
3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811  
1-888-267-3037 [publix.com](http://publix.com)  
PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK

**Drug Facts (continued)**  
cellulose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, thacebn, triethyl citrate

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print / No Varnish  
Lot no. & Exp. date



**LAXATIVE**

bisacodyl tablet, delayed release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:56062-976
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>METHACRYLIC ACID</b> (UNII: 1CS02G8656)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SHELLAC</b> (UNII: 46N107B710)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	

**Product Characteristics**

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	B
<b>Contains</b>			

**Packaging**

		<b>Marketing Start</b>	<b>Marketing End</b>
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-976-01	2 in 1 CARTON	05/21/2024	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	05/21/2024	

**Labeler** - Publix Super Markets Inc (006922009)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(56062-976)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(56062-976) , pack(56062-976)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(56062-976)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(56062-976)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(56062-976)

Revised: 5/2024

Publix Super Markets Inc