

STOMACH RELIEF- bismuth subsalicylate suspension
Grocery Outlet, Inc.

Grocery Outlet Stomach Relief - Bismuth Subsalsicylate 525 mg Oral Suspension

Drug Facts

Active ingredient (in each 30 mL dose)

Bismuth subsalicylate 525 mg

Purpose

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including

-heartburn

-indigestion

-nausea

-gas

-belching

-fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- only use dose cup provided
- adults and children 12 years and over:

-30 mL (1 dose) every ½ hour or 60 mL (2 doses) every hour as needed for diarrhea / travelers' diarrhea

-30 mL (1 dose) every ½ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)

- do not exceed 8 doses (240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- each 30 mL dose contains: **salicylate 199 mg**
- keep tightly closed

- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

benzoic acid, D&C red no. 22, D&C red no. 28, flavor, glycerin, purified water, sucralose, xanthan gum

Questions or comments?

Call **1-877-290-4008**

Drug Facts (continued)

Directions

- shake well before use
- only use dose cup provided
- adults and children 12 years and over:
 - 30 mL (1 dose) every ½ hour or 60 mL (2 doses) every hour as needed for diarrhea/travelers' diarrhea
 - 30 mL (1 dose) every ½ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- each 30 mL dose contains: salicylate 199 mg
- keep tightly closed
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients
benzoic acid, D&C red no. 22, D&C red no. 28, flavor, glycerin, purified water, sucralose, xanthan gum

Questions or comments? Call 1-877-290-4008

GLUTEN-FREE

*This product is not manufactured or distributed by The Proctor & Gamble Company, owner of the registered trademark Pepto-Bismol®.

DISTRIBUTED BY:
Grocery Outlet, Inc., Emeryville, CA 94608
www.groceryoutlet.com

Made in India.

791L 0226

LOT: _____

EXP: _____

Varnish Omit Area

NDC 85828-791-07
Compare to active ingredient in Pepto-Bismol®*

Stomach Relief

BISMUTH SUBSALICYLATE, 525 mg per 30 mL
Upset Stomach Reliever / Antidiarrheal

Symptom Relief of:

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

GO

16 FL OZ (473 mL)

Drug Facts

Active ingredient (in each 30 mL dose) **Purpose**
Bismuth subsalicylate 525 mgUpset stomach reliever and antidiarrheal

Uses relieves

- travelers' diarrhea ■ diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn ■ indigestion ■ nausea ■ gas ■ belching ■ fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer ■ a bleeding problem ■ bloody or black stool

Ask a doctor before use if you have ■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood) ■ diabetes ■ gout ■ arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued) ▶

TAMPER EVIDENT: DO NOT USE IF SHRINKBAND SEAL AROUND THE BOTTLE NECK IS BROKEN OR MISSING.

STOMACH RELIEF			
bismuth subsalicylate suspension			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85828-791
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ, BISMUTH CATION - UNII:ZS9CD118YE)	BISMUTH SUBSALICYLATE	525 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		

D&C RED NO. 22 (UNII: 1678RKX8RT)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
D&C RED NO. 28 (UNII: 7671P0Y5NH)	
WATER (UNII: 059QF0KOOR)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85828-791-07	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/20/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/20/2026	

Labeler - Grocery Outlet, Inc. (029161585)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(85828-791)

Revised: 3/2026

Grocery Outlet, Inc.