

**P1P AC REPAIR AMPOULE- niacinamide, salicylic acid,phytosphingosine liquid**  
**Phytos Co., Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**P1P AC Repair Ampoule**

**Niacinamide (2%)**  
**Salicylic acid (0.3%)**  
**Phytosphingosine (0.1%)**

**Skin Protectant**

**Keep out of reach of children**

☐ **Do not swallow. In case of accidental ingestion, seek professional assistance.**

**Moisturizes skin. Keep skin soft and smooth and helps to improve sensitive skin elasticity.**

**Warnings**

**For external use only**

**Do not use when Your skin is red, inflamed, irritated or painful**

**When using this product**

☐ **Do not apply on other parts of the body**

☐ **Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.**

☐ **Do not apply directly to wound or open cut.**

**Stop use and ask doctor if rash or irritation on skin develops and lasts.**

**Store at room temperature**

**Directions**

**Apply 1-2 drops on over the face after cleansing the face. After applying the applicator, use sunscreen in the morning.**

**Water, Cetyl Ethylhexanoate, Aspalathus Linearis Extract, Totarol, Dimethyl sulfone, Glycerin, Centella Asiatica Extract, Paeonia Suffruticosa Root Extract, Glycolic acid, 1,2-Hexanediol, Tranexamic Acid, Lecithin, Polysorbate 80, Tocopheryl Acetate, Poloxamer 407, Dipotassium Glycyrrhizate, Phytosphingosine Phosphate**

**P1P AC Repair Ampoule**



**피얼피 (P1P) AC리페어**  
AC 리페어 앰플

[용량] 30ml

[특징] 보습에 민감한 피부에 도움을 줍니다

[원산지] 경기도, 여주시, 여주시농업진흥재단(여의대, 쿠팡보스 주주출, 보타를, 다에일성문, 공리사관, 경흥우중물, 오관 뿌리추출물, 글라이콜산) 1,2-헥사디올, 나이아시나이드, 트라네キサ미드, 레시틴, 폴리소르베이트80, 트코페롤아세테이트, 폴리머407, 디모타셀룸리사미제이트, 살리실릭산에스테르, 피루스틸코산, 피루스틸코신아민

사용법: 세안 후 스킨이나 크림을 바르기 전 1-2방울을 얼굴 전체에 골고루 발라 줍니다. 아침에 사용할 경우 영문을 바른 후 자외선 차단제를 발라 줍니다.

사용 시의 주의사항: 1. 농중함을 사용하며 다음과 같은 이상이 있는 경우에는 사용을 중지하여야 하며, 계속 사용하면 증상이 악화되므로 피부과 전문의 문에 상담할 것 2. 사용 중 붉은 발진, 가려움, 가려움증, 자극, 붉어짐이 있는 경우 3. 해당 부위가 피부에 자극이 유발될 수 있으므로 사용 후 24시간 동안은 피부에 자극이 있는 부위에는 사용을 하지 말 것 3. 보관 및 취급 시의 주의사항 3. 사용 후에는 반드시 마개를 꼭 닫고 각 용기의 사용기한이 만료된 날짜를 꼭 확인하십시오

\* 본 제품에 이상이 있을 경우 공정거래위원회 고시 소비자분쟁해결 기준에 따라 보상해 드립니다.

[제조판매업자] (주)피얼피(주) (충청남도 아산시 오성동 24-603호)

[제조업자] (주)우신화학(주) (충청남도 아산시 오성동 24-603호)

[소비자상담실] 070-7702-1184 www.p1p.co

MADE IN KOREA



**Drug Facts**

**Active Ingredient Purpose**  
Niacinamide(2%) — skin protectant  
Salicylic acid(0.3%) — skin protectant  
Phytosphingosine(0.1%) - skin protectant

**Uses** Moisturizes skin. Keep skin soft and smooth and helps to improve sensitive skin elasticity.

**Warnings**

**For external use only**  
Do not use when Your skin is red, inflamed, irritated or painful

**When using this product**

- Do not apply on other parts of the body
- Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.
- Do not apply directly to wound or open cut.

**Stop use and ask doctor if rash or irritation on skin develops and lasts.**

**Keep out of reach of children**

- Do not swallow. In case of accidental ingestion, seek professional assistance.

**Store at room temperature**

P1P AC 리페어 앰플은 마이크로에멀전형으로 유효성분을 효과적으로 전달하여 피부를 진정시키는 데에도움을 주어 자상감 있는 건강한 피부로 만들어 줍니다.

**P1P**  
AC Repair

**P1P**  
AC Repair

AC Repair Ampoule

30 ml

**Drug Facts (Continued)**

**Directions**

Apply 1-2 drops on over the face after cleansing the face. After applying the applicator, use sunscreen in the morning.

**Inactive Ingredients** Water, Cetyl Ethylhexanoate, Aspalathus Linearis Extract, Totarol, Dimethyl sulfone, Glycerin, Centella Asiatica Extract, Paeonia Suffrutillosa Root Extract, Glycolic acid, 1,2-Hexanediol, Tranexamic Acid, Lecithin, Polysorbate 80, Tocopheryl Acetate, Poloxamer 407, Dipotassium Glycyrrhizate, Phytosphingosine Phosphate

**Manufactured by**

Pyros Co., Ltd.  
Rm 609, 268, Hagul-ro, Dongan-gu Anyang-si, Gyeonggi-do, 14056, South Korea

**Question or Comments**

Call +82-70-7404-6642

**P1P AC REPAIR AMPOULE**

niacinamide, salicylic acid, phytosphingosine liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69579-108
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	0.02 in 30 mL
Salicylic acid (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	Salicylic acid	0.003 in 30 mL
Phytosphingosine (UNII: GIN46U9Q2Q) (Phytosphingosine - UNII:GIN46U9Q2Q)	Phytosphingosine	0.001 in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
Cetyl Ethylhexanoate (UNII: 134647WMX4)	
TotaroI (UNII: 67NH2854WW)	
Dimethyl sulfone (UNII: 9H4PO4Z4FT)	
Glycerin (UNII: PDC6A3C0OX)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
PAEONIA SUFFRUTICOSA ROOT (UNII: 7M7E9A2C8J)	
Glycolic acid (UNII: 0WT12SX38S)	
1,2-Hexanediol (UNII: TR046Y3K1G)	
Tranexamic Acid (UNII: 6T84R30KC1)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
Poloxamer 407 (UNII: TUF2IVW3M2)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69579-108-02	1 in 1 BOX		
1	NDC:69579-108-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/07/2016	

**Labeler** - Phytos Co., Ltd. (689196775)

**Registrant** - Phytos Co., Ltd. (689196775)

### Establishment

Name	Address	ID/FEI	Business Operations

Phytos Co., Ltd.		689196775	manufacture(69579-108)
------------------	--	-----------	------------------------

Revised: 1/2016

Phytos Co., Ltd.