24/7 LIFE BY 7-ELEVEN NAPROXEN SODIUM- naproxen sodium tablet, film coated tablet, film coated Lil' Drug Store Products, Inc.

24/7 Life by 7-Eleven Naproxen Sodium

Drug Facts

Drug Facts

Active ingredient

Active ingredient

Naproxen sodium 220 mg (naproxen 200 mg) (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Purpose

Pain reliever/fever reducer

Uses

Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- the common cold
- toothache
- menstrual cramps
- backache
- minor pain of arthritis
- temporarily reduces fever

Warnings

Warnings

Allergy alert

Warnings: Naproxen sodium may cause a severe allergic reaction, especially in people allergic to aspirin.

Symptoms may include:

- asthma (wheezing)
- skin reddening
- shock

- blisters
- rash
- facial swelling
- hives

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- take more or for a longer time than directed
- have 3 or more alcoholic drinks every day while using this product

Heart attack and stroke warning

Heart attack and stroke warning: NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

Do not use

Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

Ask a doctor before use if

Ask a doctor before use if

- the stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you are taking a diuretic
- you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke
- you have problems or serious side effects from taking pain relievers or fever reducers

Ask a doctor or pharmacist before use if

Ask a doctor or pharmacist before use if you are

- under a doctor's care for any serious condition
- taking aspirin for heart attack or stroke, because naproxen may decrease this benefit of aspirin
- taking any other drug

When using this product

When using this product

take with food or milk if stomach upset occurs

Stop use and ask a doctor if

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- you have symptoms of heart problems or stroke:
- leg swelling
- chest pain
- slurred speech
- trouble breathing
- weakness in one part or side of body
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- you have difficulty swallowing
- it feels like the pill is stuck in your throat
- redness or swelling is present in the painful area
- any new symptoms appear

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use naproxen sodium at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Directions

- do not take more than directed
- the smallest effective dose should be used
- drink a full glass of water with each dose
- adults and children 12 years and older
- take 1 tablet every 8 to 12 hours while symptoms last
- for the first dose you may take 2 tablets within the first hour
- do not exceed 2 tablets in any 8- to 12-hour period
- do not exceed 3 tablets in a 24-hour period
- children under 12 years: ask a doctor

Other information

Other information

- each tablet contains: sodium 20 mg
- store at 20°-25°C (68°-77°F). Avoid high humidity and excessive heat above 40°C (104°F)
- see end flap for expiration date and lot number

Inactive ingredients

Inactive ingredients croscarmellose sodium, FD&C blue #2 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, talc, titanium dioxide

Questions or comments

Questions or comments?1-877-507-6516 (M-F 8 AM-4:30 PM CT)

24/7 Life

BY **7-ELEVEN** ™

Naproxen

Naproxen Sodium Tablets, 220 mg (NSAID)

Pain Reliever/Fever Reducer

STRENGTH TO LAST 12 HOURS

compare to


Aleve ® Tablets

active ingredient +

24

TABLETS

Actual Size [tablet image]



24/7 LIFE BY 7-ELEVEN NAPROXEN SODIUM

naproxen sodium tablet, film coated tablet, film coated

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66715-5428 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | |
|---|--------------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| NAPROXEN SODIUM (UNII: 9TN87S3A3C) (NAPROXEN - UNII:57Y76R9ATQ) | NAPROXEN SODIUM | 220 mg | |

| Inactive Ingredients | | | |
|---|----------|--|--|
| Ingredient Name | Strength | | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | | | |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) | | | |
| FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584) | | | |
| POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E) | | | |
| TALC (UNII: 7SEV7J4R1U) | | | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | | |

Product Characteristics

| Color | blue | Score | no score |
|----------|-------|--------------|----------|
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | 44;417 |
| Contains | | | |

| P | Packaging | | | |
|---|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:66715- 5428-4 | 1 in 1 CARTON | 04/19/2022 | |
| 1 | | 24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA204872 | 04/19/2022 | |
| | | | |

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 11/2025 Lil' Drug Store Products, Inc.