

NATIVE MINERAL SUNCARE ZINC OXIDE SUNSCREEN UNSCENTED BROAD SPECTRUM SPF 30- zinc oxide lotion

The Procter & Gamble Manufacturing Company

Native Mineral Suncare Zinc Oxide Sunscreen Unscented Broad Spectrum SPF 30

Drug Facts

ZINC OXIDE 17%

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

Other information

- protect this product from excessive heat and direct sun

Inactive ingredients

Water, caprylic/capric triglyceride, isohexadecane, glycerin, steareth-21, polyhydroxystearic acid, C13-14 isoalkane, steareth-2, laureth-7, stearyl alcohol, behenyl alcohol, cetyl alcohol, polyacrylamide, triethoxycaprylylsilane, benzyl alcohol, fragrance

Distr. by Native San Francisco, CA 94111

Questions or comments?

Please contact support@nativecos.com

PRINCIPAL DISPLAY PANEL - 207 mL Bottle

30

MINERAL SUNCARE

ZINC OXIDE SUNSCREEN

NATIVE

UNSCENTED

BROAD SPECTRUM SPF 30

7 FL OZ (207 mL)

100% MINERAL SPF – NO B.O.S.*



**MINERAL SUNCARE
ZINC OXIDE SUNSCREEN**

NATIVE

UNSCENTED

**BROAD SPECTRUM SPF 30
NON-GREASY FORMULA**

7 FL OZ (207 mL)

MADE WITH ♥

CLEAN • SIMPLE • EFFECTIVE

Drug Facts

| Active ingredient | Purpose |
|---------------------|-----------|
| Zinc oxide 17%..... | Sunscreen |

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

Other information

- protect this product from excessive heat and direct sun

Inactive ingredients

water, caprylic/capric triglyceride, isohexadecane, glycerin, steareth-21, polyhydroxystearic acid, C13-14 isoalkane, steareth-2, laureth-7, stearyl alcohol, behenyl alcohol, cetyl alcohol, polyacrylamide, triethoxycaprylsilane, benzyl alcohol

Questions or comments?

Please contact support@nativecos.com

*NO BUTYLOCTYL SALICYLATE (B.O.S.)

DISTR. BY NATIVE
SAN FRANCISCO, CA 94111
CRUELTY FREE



**NATIVE MINERAL SUNCARE ZINC OXIDE SUNSCREEN UNSCENTED
BROAD SPECTRUM SPF 30**

zinc oxide lotion

| Product Information | | | | |
|--|------------------|--|----------------------|--------------------|
| Product Type | | HUMAN OTC DRUG | Item Code (Source) | NDC:84126-205 |
| Route of Administration | | TOPICAL | | |
| | | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | | Basis of Strength | Strength |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | | | ZINC OXIDE | 17 g in 100 mL |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | | Strength |
| POLYACRYLAMIDE (1300000 MW) (UNII: SC5Y4X78TG) | | | | |
| STEARETH-21 (UNII: 53J3F32P58) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| BEHENYL ALCOHOL (UNII: 9G1OE216XY) | | | | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | | | | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | | | | |
| CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U) | | | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | | | | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | | | | |
| STEARYL ALCOHOL (UNII: 2KR89I4H1Y) | | | | |
| C13-14 ISOPARAFFIN (UNII: E4F12ROE70) | | | | |
| STEARETH-2 (UNII: V56DFE46J5) | | | | |
| LAURETH-7 (UNII: Z95S6G8201) | | | | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:84126-205-20 | 207 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 12/11/2025 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | | M020 | 12/11/2025 | |

Labeler - The Procter & Gamble Manufacturing Company (004238200)