

ST. MORIZ SUNSCREEN BODY- sunscreen spray
Hothouse Beauty Inc

St Moriz SPF 50 Sunscreen Body Spray

Drug Facts

85178-6095-0

Drug Facts

Drug Facts

Active Ingredients:

Avobenzone 3%, Homosalate 15%,
Octisalate 5%, Octocrylene 7%

Purpose

..... Sunscreen

Uses: Helps prevent sunburn. If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early aging caused by the sun.

Warnings

Flammable. Do not use near heat, flame, or while smoking. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120 °F.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is

swallowed, get medical help or contact a Poison Control Centre right away.

Directions: • Apply liberally 15 minutes before sun exposure. • Reapply: After 80 minutes of swimming or sweating. • Immediately after towel drying. • At least every 2 hours. • Children under 6 months: Ask a doctor • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf value of 15 or higher and other sun protection measure including; limit time in the sun, especially from 10a.m. to 2p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Alcohol Denat., C12-15 Alkyl Benzoate, Acrylates/ Octacrylamide Copolymer, PPG-5-Ceteth-20, Aloe Barbadensis Leaf Extract, Fragrance, Tocopherol.

Other Information

Protect this product from excessive heat and direct sun. May stain some fabrics.

Questions Or Comments

Call +1-302-742-1982, Mon-Fri

Active Ingredient

Homosalate 15%
Octocrylene 7.0%
Octisalate 5.0%
Avobenzone 3.0%

Purpose

Sunscreen

USES

- Helps Prevent Sunburn
- If Used As Directed With Other Sun Protection Measures (See *Directions*), Decreases The Risk Of Skin cancer And Early Skin Aging Caused By The Sun

Warnings

Flammable. Do not use near hear, flame, or while smoking. Contents under pressure. Do no puncture or incinerate. Do not store at temperature above 120 °F

For external use only.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under month Ask a doctor
- **Sun protection Measures** Spending time In the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 am-2pm. Wear Long-sleeve shirts, pants, hats, and sunglasses

Other Information

"Protect the product In this container from excessive heat or direct sun. May stain some fabrics.

Questions or Comments

Call +1-302-742-1982, Mon-Fri

Inactive Ingredients


Acrylates/Octacrylamide Copolymer, Alcohol Denat, Aloe Barbadensis Leaf Extract, C12-15 Alkyl Benzoate, Fragrance, PPG-5-Ceteth-20, Tocopherol

Package Principal Display Panel

85178-6095-0



DANGER
EXTREMELY
FLAMMABLE
AEROSOL.



Distributed by Hothouse Beauty Inc.
500 South Dupont Highway, Dover,
Kent County, Delaware, 19901, US
www.stmoriz.com | info@stmoriz.com

UK 3 270
CA 9XST7030101

ST. MORIZ
SUNCARE

50+
SUNSCREEN
BODY SPRAY

BROAD SPECTRUM SPF 50+
WATER RESISTANT (80 MINS)
PLUS VITAMIN E & ALOE VERA
INVISIBLE FINISH



5.5 fl oz (162 mL)

ST. MORIZ SUNSCREEN BODY

sunscreen spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85178-6095
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
PPG-5-CETETH-20 (UNII: 4AAN25P8P4)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85178-6095-0	162 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	11/26/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/26/2025	

Labeler - Hothouse Beauty Inc (119438098)