

GOOD SENSE PAIN RELIEF- acetaminophen tablet, film coated
L. Perrigo Company

Perrigo Pain Relief Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Inactive ingredients

croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6

aluminum lake, hypromellose, mica-based pearlescent pigment, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Extra Strength

Pain Relief

Pain Reliever/Fever Reducer

Acetaminophen

Fast Relief – For Adults

CAPLETS

Rapid Release

Compare to active ingredient of Tylenol® Extra Strength

100% SATISFACTION GUARANTEED

50 Caplets – 500 mg Each

GOODSENSE.

NDC 0113-0025-71

Extra Strength

Pain Relief

Pain Reliever/Fever Reducer
Acetaminophen
Fast Relief • For Adults

CAPLETS

Rapid Release



Compare to active ingredient of
Tylenol® Extra Strength



50 Caplets - 500 mg Each

GOODSENSE.

NDC 0113-0025-71

Extra Strength

Pain Relief

Pain Reliever/Fever Reducer
Acetaminophen
Fast Relief • For Adults

CAPLETS

Rapid Release



Compare to active ingredient of
Tylenol® Extra Strength



50 Caplets - 500 mg Each

35071 02 02



Drug Facts

Active Ingredient **Purpose**
(In each caplet)
Acetaminophen 500 mg...Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
■ the common cold ■ headache
■ minor pain of arthritis ■ backache
■ muscular aches ■ toothache
■ premenstrual and menstrual cramps
■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
■ more than 4,000 mg of acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if you have liver disease
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Drug Facts (continued)


Stop use and ask a doctor if:
■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days
■ new symptoms occur
■ redness or swelling is present
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed (see overdose warning)
adults and children 12 years and over ■ take 2 caplets every 6 hours while symptoms last
■ do not take more than 6 caplets in 24 hours, unless directed by a doctor
■ do not use for more than 10 days unless directed by a doctor
children under 12 years ask a doctor

Inactive ingredients croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, mica-based pearlescent pigment, polyethylene glycol, polyorbate 80, povidone, pregelatinized starch, stearic acid

Drug Facts Question 1-800-794-
Store at 20-25°C (68-77°F).
DO NOT USE if UNDER CAP!
Gluten Free
Distributed by Perrigo
Allergan Mill



GOOD SENSE PAIN RELIEF

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0025
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

Product Characteristics

Color	RED	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	350
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0025-62	1 in 1 CARTON	10/08/2015	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

2	NDC:0113-0025-71	1 in 1 CARTON	10/06/2015	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0113-0025-78	1 in 1 CARTON	10/08/2015	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:0113-0025-79	400 in 1 BOTTLE; Type 0: Not a Combination Product	08/14/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/06/2015	

Labeler - L. Perrigo Company (006013346)

Revised: 11/2025

L. Perrigo Company