THERMACARE HEAT THERAPY MAX STRENGTH LIDOCAINE PAIN RELIEF ROLLON- thermacare heat therapy max strength lidocaine pain relief rollon liquid Clarion Brands LLC

Benzyl alcohol 10%

Lidocaine HCI 4%

Topical anesthetic

Use for the temporary relief of pain

For external use only

Flammable keep away from heat and open flame

Do not use

- in large quantities
- on wounds, damaged, broken, or irritated skin
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label
- avoid contact with the eyes and mucous membranes
- do not bandage tightly or apply local heat such as a heating pad or a medicated patch
- do not use with other topical analgesics

Stop use and ask a doctor if

- rash or irritation develops
- symptoms worsen or persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily
- children under 2 years of age: consult a doctor before use
- 1, 2 hexanediol

alcohol

aloe barbadensis leaf juice

aminomethyl propanol

bisabolol

caprylyl glycol

disodium EDTA

hydroxyethylcellulose

isopropyl alcohol

maltodextrin

polyacrylate crosspolyer-6

propylene glycol

vanillyl butyl ether

water

zingiber officinale (ginger) root extract

1-800-323-3383

Benzyl alcohol 10%

Lidocaine HCI 4%

Directions

adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily

children under 2 years of age: consult a doctor before use.

Thermacare Heat Therapy

Heat + Max Strength Lidocaine Pain Relief

Roll On NET WT 2.5 OZ (70 g)

No Mess Applicator

Vanishing Scent

Start with Small Amount; Skin Sensitivity Varies

Distributed by: Bridges Consumer Healthcare

811 Broad Street, Suite 600

Chattanooga, TN 37402

2026 Bridges CHC

Thermacare.com





ROLL ON NET WT 2.5 OZ (70 g)

No Mess Applicator • Vanishing Scent

Active ingredients Benzyl alcohol 10%, Lidocaine HCl 4% Purpose Topical anesthetic Use for the temporary relief of pain Warnings For external use only. Flammable ■ keep away from heat and open flame **Do not use** ■ in large quantities ■ on wounds, damaged, broken, or irritated skin for more than one week without consulting a doctor When using this product use only as directed. Read and follow all directions and warnings on this label ■ avoid contact with the eyes and mucous membranes ■ do not bandage tightly or apply local heat such as a heating pad or a medicated patch do not use with other topical analgesics. Stop use and ask a doctor if ■ rash or irritation develops ■ symptoms worsen or persist for more than 7 days or clear up and occur again within a few days If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily **children under 2 years of age:** consult a doctor before use. Inactive ingredients 1,2-hexanediol, alcohol, aloe barbadensis leaf juice, aminomethyl propanol, bisabolol, caprylyl glycol, disodium EDTA, hydroxyethylcellulose, isopropyl alcohol, maltodextrin, polyacrylate crosspolymer-6, propylene glycol, vanillyl butyl ether, water, zingiber officinale (ginger) root extract Questions? call 1-800-323-3383

START WITH SMALL AMOUNT: SKIN SENSITIVITY VARIES

Distributed by: **Bridges Consumer Healthcare**811 Broad Street, Suite 600
Chattanooga, TN 37402
©2026 Bridges CHC

©2026 Bridges CHC

ThermaCare.com †without a prescription

THERMACARE HEAT THERAPY MAX STRENGTH LIDOCAINE PAIN RELIEF ROLLON

thermacare heat therapy max strength lidocaine pain relief rollon liquid

n			
Proc	II ICT	Inform	nation
	IUCL		146011

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69693-002

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Active ingredient/Active Plotety			
Ingredient Name	Basis of Strength	Strength	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 mL	
BENZYL ALCOHOL (UNII: LKG8494WBH) (BENZYL ALCOHOL - UNII:LKG8494WBH)	BENZYL ALCOHOL	10 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
POLYACRYLATE CROSSPOLYMER-6 (UNII: Q7UI015FF9)	
VANILLYL BUTYL ETHER (UNII: S2ULN37C9R)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
HYDROXYETHYLCELLULOSE (UNII: T4V6TWG28D)	
WATER (UNII: 059QF0KO0R)	
BISABOLOL (UNII: 24WE03BX2T)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
GINGER (UNII: C5529G5JPQ)	
ALCOHOL (UNII: 3K9958V90M)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Product Characteristics			
Color		Score	
Shape	ROUND	Size	
Flavor		Imprint Code	
Contains			

ı	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:69693-002- 25	1 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/15/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/15/2025	

Labeler - Clarion Brands LLC (079742703)

Revised: 11/2025 Clarion Brands LLC