

**DOVE CLINICAL PROTECTION SKIN RENEW ANTIPERSPIRANT- aluminum zirconium tetrachlorohydrate gly stick**  
**Conopco Inc. d/b/a Unilever**

-----  
**Dove Clinical Protection Skin Renew Antiperspirant**

***Active Ingredient***

Aluminum Zirconium Tetrachlorohydrate GLY (20%)

***Purpose***

anti-perspirant

***Uses***

- reduces underarm wetness
- extra effective

***Warnings***

- **For external use only**
- **Do not use** on broken skin
- **Ask a doctor before use if you have** kidney disease
- **Stop use** if rash or irritation occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply to underarms only
- before bed, apply two clicks of product to each underarm

***Inactive ingredients***

Cyclopentasiloxane, Dimethicone, Paraffin, Microcrystalline Wax, Fragrance (Parfum), Silica, Helianthus Annuus (Sunflower) Seed Oil, Dimethicone Crosspolymer, Glycine Soja (Soybean) Oil, Calendula Officinalis Flower Extract, BHT.

***Questions?*** Call toll-free **1-800-761-3683**

**1.7 oz PDP**



Dove  
clinical protection



Dove  
clinical protection  
skin renew

Provides clinically proven prescription strength protection against wetness.

When your underarm skin is irritated by shaving, it can respond by creating dark marks.

**The effective solution?**

Dove skin renew antiperspirant with Calendula and Sunflower Seed extract, moisturizes to help accelerate the natural skin renewal processes.

**The result?**

Underarms with visibly reduced dark marks and an even tone. [www.dove.com](http://www.dove.com)

Drug Facts	
<b>Active ingredient</b> Aluminum Zirconium Tetrachlorohydrate GLY (25%)	<b>Purpose</b> antiperspirant
<b>Uses</b> reduces underarm wetness extra effective	
<b>Warnings</b> For underarm use only Do not use on irritated skin Ask a doctor before use if you have kidney disease Stop use if rash or irritation occurs Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.	
<b>Directions</b> apply to underarms only before bed, apply two sticks of product to each underarm	
<b>Other information</b> Do not store over 115°F	
<b>Inactive ingredients</b> Cyclopentasiloxane, Dimethylsiloxane, Paraffin, Microcrystalline Wax, Fragrance (Parfum), Silica, Hydrolyzed Avocado (Sunflower) Seed Oil, Dimethylsiloxane Crosspolymer, Glycine Soja (Soybean) Oil, Calendula Officinalis Flower Extract, BHT.	
<b>Questions?</b> call toll free 1-800-781-3683	

Tested against a leading prescription product with 6.25% (w/v) aluminum chloride

COATING FREE AREA



Dove  
clinical protection

prescription strength  
wetness protection

with moisturizers



skin renew

48h odor protection  
anti-perspirant

NET WT 1.7 OZ (48g)

**Who is Dove clinical protection for?**

Women seeking prescription strength protection from wetness, but without the irritation.

**Satisfaction Guaranteed**

We guarantee your full satisfaction or we will replace or refund your purchase.

1-800-761-3683

Tested against a leading prescription product with 6.25% (w/v) aluminum chloride

Actual Size

**Directions:**  
Dove clinical protection can be applied in the morning. For best results, apply Dove clinical protection to underarms before going to bed. While resting, the Dove clinical solid formula acclimates to the body, forming a deep level of protection. This protection lasts throughout the following day.

Dove and Dove clinical protection are Registered Trademarks.



©UNILEVER  
Trumbull, CT 06611  
Mfg. in Canada with US materials.  
83301622

## DOVE CLINICAL PROTECTION SKIN RENEW ANTIPERSPIRANT

aluminum zirconium tetrachlorohydrate gly stick

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64942-1439
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM ZIRCONIUM TETRACHLOROXYDRATE GLY (UNII: 80386558JE) (ALUMINUM ZIRCONIUM TETRACHLOROXYDRATE GLY - UNII:80386558JE)	ALUMINUM ZIRCONIUM TETRACHLOROXYDRATE GLY	20 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-1439-2	1 in 1 CARTON	10/30/2020	
1	NDC:64942-1439-1	48 g in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:64942-1439-4	1 in 1 CARTON	10/30/2020	
2	NDC:64942-1439-3	14 g in 1 CONTAINER; Type 0: Not a Combination Product		
3	NDC:64942-1439-6	1 in 1 CARTON	10/30/2020	
3	NDC:64942-1439-5	62 g in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	10/30/2020	

**Labeler** - Conopco Inc. d/b/a Unilever (001375088)

Revised: 10/2024

Conopco Inc. d/b/a Unilever