

BACITRACIN- bacitracin ointment
Kroger Company

Kroger Co. Bacitracin Ointment, USP Drug Facts

Active ingredient (each gram contains)

Bacitracin 500 units

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

light mineral oil, white petrolatum

Questions or comments?

1-800-632-6900

Principal Display Panel

Bacitracin Ointment, USP

First Aid Antibiotic Ointment

Helps prevent infection in minor cuts, scrapes & burns

NET WT 1.0 OZ (28g)



NDC 30142-536-64



Bacitracin Ointment, USP

First Aid Antibiotic Ointment

Helps prevent infection in minor cuts, scrapes & burns

DISTRIBUTED BY
THE KROGER CO.
CINCINNATI, OHIO
45202

QUALITY GUARANTEE
800-632-6900
www.kroger.com



PLEASE RECYCLE



NET WT 1.0 OZ (28g)



Drug Facts

Active ingredient Purpose (each gram contains)

Bacitracin 500 units...First aid antibiotic

Uses first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

light mineral oil, white petrolatum

Questions or comments?

1-800-632-6900

NDC 30142-536-64

NET WT 1.0 OZ (28g)



Bacitracin Ointment, USP

First Aid Antibiotic Ointment

Helps prevent infection in minor cuts, scrapes & burns



53664 45 C4





BACITRACIN

bacitracin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-536
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-536-64	1 in 1 CARTON	04/19/2017	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	04/19/2017	

Labeler - Kroger Company (006999528)

Revised: 9/2024

Kroger Company