

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B30- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL BF60- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL BF50- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B90- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O40- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O10- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL I100- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O50- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O70- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL BF10- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O80- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O90- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B50- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B60- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B80- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O60- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B10- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL I10- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O20- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O30- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B20- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B40- octinoxate and titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B70- octinoxate and titanium dioxide emulsion
SHISEIDO AMERICAS CORPORATION

clé de peau BEAUTÉ RADIANT FLUID FOUNDATION NATURAL

Drug Facts

Active ingredients	Purpose
OCTINOXATE 4.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER □ DIMETHICONE □ GLYCERIN □ BUTYLENE GLYCOL □ TRIMETHYLSILOXYSILICATE □ POLYMETHYLSILSESQUIOXANE □ ISODODECANE □ CAPRYLYL METHICONE □ BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 □ PEG-10 DIMETHICONE □ ISOPROPYL MYRISTATE □ SYNTHETIC FLUORPHLOGOPITE □ DIMETHICONE/PEG-10/15 CROSSPOLYMER □ ERYTHRITOL □ XYLITOL □ BARIUM SULFATE □ PYRUS CYDONIA SEED EXTRACT □ TREHALOSE □ ARGANIA SPINOSA KERNEL OIL □ GLYCINE □ PEG/PPG-14/7 DIMETHYL ETHER □ CITRUS JUNOS SEED EXTRACT □ ROSA ROXBURGHII FRUIT EXTRACT □ ANGELICA ACUTILOBA ROOT EXTRACT □ HYDROLYZED CONCHIOLIN PROTEIN □ HYDROLYZED SILK □ DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER □ PERILLA OCYMOIDES LEAF

EXTRACT □ ISOSTEARIC ACID □ BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE □
DIISOSTEARYL MALATE □ DISTEARDIMONIUM HECTORITE □ ALUMINUM HYDROXIDE □
STEARIC ACID □ TRISODIUM EDTA □ POLYSILICONE-2 □ TRIETHOXSILYLETHYL
POLYDIMETHYLSILOXYETHYL DIMETHICONE □ BHT □ ALCOHOL □ CITRIC ACID □ SODIUM
CITRATE □ TRIETHOXYCAPRYLYLSILANE □ DIPROPYLENE GLYCOL □ TOCOPHEROL □
DISODIUM STEAROYL GLUTAMATE □ SODIUM METABISULFITE □ THEANINE □
PHENOXYETHANOL □ METHYLPARABEN □ FRAGRANCE □ TITANIUM DIOXIDE □ IRON
OXIDES □ MICA □

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - BF10

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DIBESTEARYL MALATE • DIBESTARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O80

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILNOLATE • DIBESTEARYL MALATE • DIBESTARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYPAPPYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O90

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance
of a diamond imbues skin with a healthy
glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B50

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



1-800-906-7503

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B60

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeaubaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B80

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance
of a diamond imbues skin with a healthy
glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANJA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DIBESTEARYL MALATE • DIBESTARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B10

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYOL DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY(METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID) • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B100

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUOROPHLOGOPITE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B20

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance
of a diamond imbues skin with a healthy
glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B30

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance
of a diamond imbues skin with a healthy
glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.clédepeau-beauté.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANJA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DIBESTEARYL MALATE • DIBESTARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B40

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeaubaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B70

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance
of a diamond imbues skin with a healthy
glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANJA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DIBESTEARYL MALATE • DIBESTARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHOPYLENE GLYCOL TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - B90

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYOL DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - BF50

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DIBESTEARYL MALATE • DIBESTARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • BHT • ALCOHOL • CITRIC ACID • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - BF60

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2 • TRIETHOXYSILOLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • BHT • ALCOHOL • CITRIC ACID • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - I10

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DIBESTEARYL MALATE • DIBESTARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



1-800-906-7503

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O10

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2 • TRIETHOXYSILOLETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRIETHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



1-800-906-7503

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O100

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance
of a diamond imbues skin with a healthy
glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O20

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O30

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance
of a diamond imbues skin with a healthy
glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information


- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O40

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O50

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeaubaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DIBESTEARYL MALATE • DIBESTARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE • BHT • ALCOHOL • CITRIC ACID • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O60

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUORPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BEHENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY[METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID] • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHENYLENE GLYCOL • TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

PRINCIPAL DISPLAY PANEL - 35 mL Vial Carton - O70

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL

BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

RADIANT FLUID FOUNDATION NATURAL



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
NATURAL
BROAD SPECTRUM
SPF 25
SUNSCREEN

35mL 1.1 FL. OZ.

AAC



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION NATURAL
BROAD SPECTRUM SPF 25
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the radiance of a diamond imbues skin with a healthy glow and a beautifully natural finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- Rarely, skincare ingredients may appear white but this does not affect the product's quality.
- **NON-COMEDOGENIC, DERMATOLOGIST-TESTED.**

Drug Facts

Active Ingredients Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 3.3% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. -2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • BUTYLENE GLYCOL • TRIMETHYLSILOXYSULFATE • POLYMETHYLSILSESQUOXANE • ISODODECANE • CAPRYLYL METHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-PEG-10 DIMETHICONE • ISOPROPYL MYRISTATE • SYNTHETIC FLUOROPHLOGOPITE • DIMETHICONE/PEG-10/18 CROSSPOLYMER • ERYTHRITOL • XYLITOL • BARIUM SULFATE • PYRUS CYDONIA SEED EXTRACT • TREHALOSE • ARGANIA SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • CITRUS JUNOS SEED EXTRACT ▶

Drug Facts (continued)

Inactive Ingredients

ROSA ROXBURGH FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DIMETHICONE/NIYLY DIMETHICONE CROSSPOLYMER • PERILLA OXYMIDES LEAF EXTRACT • ISOSTEARIC ACID • BIS-BENENYL/PHYTOSTERYL DIMER DILINOLEATE • DISTEARYL MALATE • DISTEARDIMONIUM HECTORITE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • POLYSILOXANE-2-TRITHOXYSULFETHYL POLY(METHYLSILOXYETHYL DIMETHICONE-BHT-ALCOHOL-CITRIC ACID) • SODIUM CITRATE • TRITHOXYCAPRYLYLSILANE • DIPHYLENE GLYCOL TOCOPHEROL • SODIUM STEAROYL GLUTAMATE • SODIUM METABISULFITE • THEANINE • PHENOXYETHANOL • METHYLPARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16780CP>
See our website for more information.



CSF

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B30

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-909
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU00)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	

WATER (UNII: 059QF0KO0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6Yaq6xcx)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
ERYTHRIN (UNII: 4TJZ1118I8)
XYLITOL (UNII: VCQ006KQ1E)
BIARIUM SULFATE (UNII: 25BB7EKE2E)
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-909-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-909-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL BF60

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-914
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BIARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	

PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ISOSTEARIC ACID (UNII: X33R8U0062)
BEHENYL PHOSPHATE (UNII: 366D9UAY69)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)

Product Characteristics			
Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-914-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-914-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL BF50

octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-913
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZ GQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z 171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ 3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-913-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-913-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B90

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-912
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients	
Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-912-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-912-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL 040

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-920
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YQAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	

ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0KOOR)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-920-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-920-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL 010

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-916
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BIARIUM SULFATE (UNII: 25BB7EKE2E)	

CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-916-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-916-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL I100

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-917
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	

ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ISOSTEARIC ACID (UNII: X33R8U0062)
BEHENYL PHOSPHATE (UNII: 366D9UAY69)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DSO12WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: ROZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0K00R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 59411-017			

1	NDC:58411-917-20	35 in 1 CARTON	01/01/2021
1	NDC:58411-917-70	35 mL in 1 VIAL; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL 050

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-921
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	

PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ISOSTEARIC ACID (UNII: X33R8U0062)
BEHENYL PHOSPHATE (UNII: 366D9UAY69)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DSO12WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-921-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-921-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL 070

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-923
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNNQ)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DS012WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-923-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-923-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL BF10

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-901
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DSO12WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-901-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-901-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O80
octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-896
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DSO12WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)

Product Characteristics			
Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-896-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-896-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL 090

octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-897
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL
Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
GLYCERIN (UNII: PDC6A3C0OX)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)		
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)		
ISODODECANE (UNII: A8289P68Y2)		
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)		
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)		
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)		
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)		
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)		
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)		
ERYTHRIN (UNII: 4TJZ1118I8)		
XYLITOL (UNII: VCQ006KQ1E)		
BIARIUM SULFATE (UNII: 25BB7EKE2E)		
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)		
TREHALOSE (UNII: B8WCK70T7I)		
ARGAN OIL (UNII: 4V59G5UW9X)		
GLYCINE (UNII: TE7660XO1C)		
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)		
CITRUS JUNOS SEED (UNII: UY43O1Q45N)		
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)		
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)		
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)		
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)		
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
BEHENYL PHOSPHATE (UNII: 366D9UAY69)		
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
POLYSILICONE-15 (UNII: F8DRP5BB29)		
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
ALCOHOL (UNII: 3K9958V90M)		
CITRIC ACID ACETATE (UNII: DSO12WL7AU)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		

TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-897-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-897-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B50

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-898
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

FRAGRANCE 13576 (UNII: 5EM498GW35)

BROWN IRON OXIDE (UNII: 1N032N7MFO)

MICA (UNII: V8A1AW0880)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-898-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-898-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B60

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-899
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	

POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
ERYTHRIN (UNII: 4TJZ1118I8)
XYLITOL (UNII: VCQ006KQ1E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
CITRUS JUNOS SEED (UNII: UY43O1Q45N)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ISOSTEARIC ACID (UNII: X33R8U0062)
BEHENYL PHOSPHATE (UNII: 366D9UAY69)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DSO12WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: ROZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-899-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-899-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B80

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-900
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	

MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
ERYTHRIN (UNII: 4TJZ1118I8)
XYLITOL (UNII: VCQ006KQ1E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
CITRUS JUNOS SEED (UNII: UY43O1Q45N)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ISOSTEARIC ACID (UNII: X33R8U0062)
BEHENYL PHOSPHATE (UNII: 366D9UAY69)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DSO12WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: ROZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-900-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-900-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O60

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-922
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	

PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ISOSTEARIC ACID (UNII: X33R8U0062)
BEHENYL PHOSPHATE (UNII: 366D9UAY69)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DSO12WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-922-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-922-	35 mL in 1 VIAL; Type 0: Not a Combination		

70	Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B10

octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-906
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL	

Inactive Ingredients		
Ingredient Name	Strength	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)		
CITRUS JUNOS SEED (UNII: UY43O1Q45N)		
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)		
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)		
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)		
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)		
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
BEHENYL PHOSPHATE (UNII: 366D9UAY69)		
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
POLYSILICONE-15 (UNII: F8DRP5BB29)		
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
ALCOHOL (UNII: 3K9958V90M)		
CITRIC ACID ACETATE (UNII: DSO12WL7AU)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		

DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
ERYTHRIN (UNII: 4TJZ1118I8)
XYLITOL (UNII: VCQ006KQ1E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-906-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-906-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL I10

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-915
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YQAQ6XCX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	

POLYSILICONE-15 (UNII: F8DRP5BB29)
TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
CITRIC ACID ACETATE (UNII: DS012WL7AU)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-915-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-915-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O20

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-918
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	

SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TOCOPHEROL (UNII: R0ZB2556P8)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)

Product Characteristics			
Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-918-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-918-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL O30
 octinoxate and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-919

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FRAGRANCE 13576 (UNII: 5EM498GW35)
BROWN IRON OXIDE (UNII: 1N032N7MFO)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
GLYCERIN (UNII: PDC6A3C0OX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ISODODECANE (UNII: A8289P68Y2)
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-919-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-919-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B20

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-908
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL
---	------------------	------------------

Inactive Ingredients

Ingredient Name	Strength
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	

ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	

--	--

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

--	--

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-908-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-908-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

--	--

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B40

octinoxate and titanium dioxide emulsion

--	--

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-910
Route of Administration	TOPICAL		

--	--

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

--	--

Inactive Ingredients

Ingredient Name	Strength

PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU00)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y10)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	

ARGAN OIL (UNII: 4V59G5UW9X)

GLYCINE (UNII: TE7660XO1C)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-910-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-910-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION NATURAL B70

octinoxate and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-911
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.715 g in 35 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.155 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BIS(BUTYLAMINO)DIMETHYLSILANE (UNII: YG6YAQ6XCX)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	

ERYTHRIN (UNII: 4TJZ1118I8)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CYDONIA OBLONGA SEED (UNII: JXU526QH1V)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
HYDROLYZED CAPRA HIRCUS HAIR PROTEIN (ENZYMATIC; 4000 MW) (UNII: 2428CXY2LA)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROLYZED SHEEP WOOL KERATIN (200 MW) (UNII: R6K7AW17SU)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIETHOXYSIPLYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ISODODECANE (UNII: A8289P68Y2)	

Product Characteristics

Color

brown

Score

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-911-20	35 in 1 CARTON	01/01/2021	
1	NDC:58411-911-70	35 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2021	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Registrant - Shiseido America Inc. (782677132)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-896, 58411-897, 58411-898, 58411-899, 58411-900, 58411-901, 58411-906, 58411-908, 58411-909, 58411-910, 58411-911, 58411-912, 58411-913, 58411-914, 58411-915, 58411-916, 58411-917, 58411-918, 58411-919, 58411-920, 58411-921, 58411-922, 58411-923) , manufacture(58411-896, 58411-897, 58411-898, 58411-899, 58411-900, 58411-901, 58411-906, 58411-908, 58411-909, 58411-910, 58411-911, 58411-912, 58411-913, 58411-914, 58411-915, 58411-916, 58411-917, 58411-918, 58411-919, 58411-920, 58411-921, 58411-922, 58411-923)

Revised: 2/2026

SHISEIDO AMERICAS CORPORATION