

ACID GONE ANTACID EXTRA STRENGTH- aluminum hydroxide and magnesium carbonate tablet, chewable
Major Pharmaceuticals

Extra Strength Acid Gone Antacid 100 Chewable Tablets Drug Facts

Active ingredients (in each tablet)

Aluminum hydroxide 160mg

Magnesium carbonate 105mg

Purpose

Antacid

Uses

relieves

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Antacids may interact with certain prescription drugs.
- if you are on a sodium-restricted diet

When using this product

- do not take more than 16 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

Directions

- chew 2-4 tablets four times a day or as directed by a doctor
- take after meals and at bedtime or as needed
- for best results follow by a half glass of water or other liquid
- DO NOT SWALLOW TABLET WHOLE

Other information

- Each tablet contains :sodium 19 mg, magnesium 31mg
- Store at room temperature

Inactive ingredients

alginic acid, calcium stearate, compressible sugar, flavor, sodium bicarbonate, starch(corn), sucrose.

Questions or comments?

call 1-800-616-2471

Principal Display Panel

NDC 0904-5365-60

EXTRA STRENGTH

Acid Gone™

Antacid

STOPS HEARTBURN

QUICK ACTION

LONG LASTING

COMPARE TO THE ACTIVE INGREDIENT IN EXTRA STRENGTH GAVISCON®*

100 CHEWABLE TABLETS

Distributed by:

MAJOR® PHARMACEUTICALS

17177 N Laurel Park Drive, Suite 233

Livonia, MI 48150, USA

*This product is not manufactured or distributed by GlaxoSmithKline, the distributor of Extra Strength Gaviscon®

MAJOR NDC 0904-5365-60

EXTRA STRENGTH
Acid Gone™
Antacid

QUICK ACTION
LONG LASTING



STOPS HEARTBURN

COMPARE TO THE ACTIVE INGREDIENTS IN EXTRA STRENGTH GAVISCON®*



100 CHEWABLE TABLETS

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each tablet)
 Aluminum hydroxide 160 mg.....Antacid
 Magnesium carbonate 105 mg.....Antacid

Uses relieves ■ acid indigestion ■ heartburn ■ sour stomach
 ■ upset stomach associated with these symptoms

Warnings
 Ask a doctor or pharmacist before use if you are
 ■ taking a prescription drug. Antacids may interact with certain prescription drugs. ■ If you are on a sodium-restricted diet

When using this product
 ■ do not take more than 16 tablets in 24 hours
 ■ do not use the maximum dosage for more than 2 weeks
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

Directions
 ■ chew 2 to 4 tablets completely four times a day or as directed by a doctor.
 ■ take after meals and at bedtime or as needed
 ■ for best results follow by a half glass of water or other liquid
 ■ DO NOT SWALLOW TABLETS WHOLE

Other information
 ■ each tablet contains: magnesium 31 mg, sodium 19 mg
 ■ store at room temperature

Inactive ingredients alginic acid, calcium stearate, compressible sugar, flavor, sodium bicarbonate, starch (corn), sucrose.

Questions or comments? Call 1-800-616-2471

Distributed by
 MAJOR PHARMACEUTICALS
 1777 N. Lincoln Ave, Suite 203
 Lenexa, KS 66152, USA
 M-107

Re-order No. 262338
 Rev. 09/19

105100MAJLR



LOT: UNWARNISHED AREA
 EXP:

ACID GONE ANTACID EXTRA STRENGTH

aluminum hydroxide and magnesium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-5365
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	160 mg
MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D)	MAGNESIUM CARBONATE	105 mg

Inactive Ingredients

Ingredient Name	Strength
ALGINIC ACID (UNII: 8C3Z4148WZ)	
CALCIUM STEARATE (UNII: 776XM7047L)	
CORN SYRUP (UNII: 9G5L16BK6N)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	13mm
Flavor	VANILLA (Vanilla Mint)	Imprint Code	RP105

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-5365-60	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/06/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/06/2014	

Labeler - Major Pharmaceuticals (191427277)

Revised: 9/2025

Major Pharmaceuticals