

CVS CUTS AND SCRAPES REFILL PACK- benzalkonium chloride, bacitracin zinc, neomycin sulfate, polymyxin b sulfate

CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Cuts & Scrapes Refill Pack

Active Ingredient

Benzalkonium Chloride .13%

Purpose

First Aid Antiseptic

Use

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings

For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use

In the eyes, or over large areas of the body

Directions

Tear open packet, unfold towelette and use to cleanse desired skin are. Discard towelette appropriately after single use

Inactive Ingredients

Purified Water

Active Indredients

Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Purpose

Triple Antibiotic

Uses

To help prevent infection in:
minor cuts; scrapes; burns

Warnings

For external use only

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Directions

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Storage and Handling

Other information:

Store at room temperature.

Vaseline

Mineral Oil

Purified Water

Antiseptic Towelette

Antiseptic Towelette

GFA Production Xiamen Co., Ltd

www.gfaproduction.com

DRUG FACTS - Antiseptic Towelette

Active Ingredient: Benzalkonium Chloride 0.13%.. **Purpose:** First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use: In the eyes, or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive ingredient: Purified water.

LOT/EXP: XXXXXXXX

TEAR HERE

REORDER AST-001

Antiseptic Towelette
Toallitas Antisepticas




GFA Production Xiamen Co., Ltd
www.gfaproduction.com



GFA Production Xiamen Co., Ltd
No. 20 Hull Industrial Park, Meid Road,
Tongan, Xiamen, Fujian, China 361100
Wellkang Ltd via Wellkang Tech Consulting
Suite B, 29 Hanley Street
LONDON W1G 9QR, England, United Kingdom



X XXXXXX XXXXXX X
FPO 100%
UPC# 050428543412
#165657



Directions: Clean affected areas with antiseptic wipe. Apply antibiotic ointment and cover with adhesive bandage.

CVS Health™ Cuts & Scrapes Refill Pack includes essentials to help clean and cover minor abrasions. Leave it in your car, desk, medicine cabinet or all three so you'll always be prepared. Including assorted size bandages, our pack makes a great fit for any member of the family.



Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02896
© 2016 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
V-30293
Money Back Guarantee



\$5

First Aid Cuts & Scrapes Refill Pack

Includes essentials to treat minor abrasions
in a convenient, resealable pack

- 10 ADHESIVE BANDAGES, JUNIOR PLASTIC
- 10 ADHESIVE BANDAGES, 1" X 3" PLASTIC
- 10 ADHESIVE BANDAGES, 3/4" X 3" PLASTIC
- 10 ADHESIVE BANDAGES, 1" X 3" FABRIC
- 10 ADHESIVE SPOT BANDAGES 7/8" X 7/8" PLASTIC
- 2 ADHESIVE BANDAGES, 2" X 4.5" FABRIC
- 3 ADHESIVE BANDAGES, FINGERTIP FABRIC
- 3 ADHESIVE BANDAGES, KNUCKLE FABRIC
- 2 ANTISEPTIC WIPES
- 2 TRIPLE ANTIBIOTIC OINTMENTS

PLEASE LEAVE OUR CVS SLUG ON ALL FINAL ART AND CONTRACT PROOFS FOR FINAL APPROVAL

<p>CVS Health. Store Brands Packaging Group 68 Cumberland Street, Ste: 200 Woonsocket, RI 02895</p> <p>Please direct questions & proofs to: Ryan Colazzo@sgant.com Phone: 401-931-2321</p> <p>DATE: 01/20/2016 VENDOR: TENDER CORP BRAND: CVS_HCR_FIRST_AID FILE NAME: 16_HCR_165657_CUTS&SCRAPESREFILL_KIT ITEM NUMBER: 165657 UPC#: 050428548412 PA ARTIST: MD</p>	<p>VENDOR PRE-PRESS RESPONSIBILITIES</p> <ul style="list-style-type: none"> • CONFIRMATION OF COLOR SPECS AS NEEDED FOR PROPER SEPARATIONS. • TRAPPING, BLEED AND MINIMUM TOLERANCE ADJUSTMENTS TO MEET TARGET PRESS REQUIREMENTS. • REPLACE UPC WITH PROPER BWR PER PRINTER SPECS, ENSURE UPC SCANS 	<p>PRODUCTION SPECIFICATIONS</p> <p>BLACK PANTONE 190 PANTONE 210C PANTONE 300C WHITE 1 WHITE 2 CLEAR BAG</p> <p>TARGET GOLDEN PRINT SLUG: P NECESSARY</p> <p>4C CMYK OF PMS 190: C=0, M=100, Y=81, K=4</p>	<p>NOTES AND AREAS OF FOCUS</p> <p>ADDITIONAL SPOT COLORS ARE BRAND CRITICAL, C/C, OPS AND MUST NOT BE CONVERTED AND PRODUCED WITH PROCESS EQUIVALENT PANTONE COLORS. COLOR SEPARATION SPECIFICATION SHOULD MATCH CVS PRINT QUOTATION FOR THIS JOB.</p> <p>VENDOR PROOFING REQUIREMENTS</p> <p>PDF CONTENT PROOF AND SUBSEQUENT CONTRACT PROOF PER PROJECT SCHEDULE.</p>
---	--	--	--

Southern Graphic Systems (SIS) has made every effort to comply with FDA and FDA rules and guidelines in the production of this artwork. To the best of our knowledge and experience this artwork adheres to and is compliant with rules governing product labeling requirements as per USA legislation. In the event of an inadvertent non-compliance issue that results in the re-work of existing artwork, SIS will, in cooperation with the client, make every effort to rectify the problem and produce replacement artwork free. The liability of SIS shall be limited to correcting its own product. SIS will not assume any legal or financial responsibility or liability for the contents, prepess or printing of any packaging (unless contracts to the contrary). The supplied artwork should be approved by the recipient for all content, layout and copy accuracy. This is a mechanical artwork file only. Color notation will be confirmed by printer or press supplier. The UPC code is PO and must be replaced by your printer or press supplier. Please ensure that your press supplier prepares the file for printing. Refer to Pantone and process matchbooks for reflection of accurate color, as this is not a color proof. Should the supplied artwork be found to be incorrect please contact your representative immediately. © 2015 The Emblem of 10/09

Genuine Triple Antibiotic
First Aid Ointment
To Help Prevent Infection
Each Gram Contains:
Bacitracin Zinc 400 units
Neomycin Sulfate 5 mg
(equivalent to 3.5 mg
Neomycin base)
Polymyxin B Sulfate 5000 units
Net Wt. 0.5g ; (1/64 oz)
Manufactured in CHINA for
GENUINE FIRST AID.
Triple Antibiotic Ointment 10pcs

Net wt. 0.9g (1/32oz)

100


Triple Antibiotic


Reorder TAO-001

Genuine Triple Antibiotic

**First Aid Ointment
To Help Prevent Infection**

**Each Gram Contains:
Bacitracin Zinc 400 units
Neomycin Sulfate 5 mg
(equivalent to 3.5 mg
Neomycin base)
Polymyxin B Sulfate 5000 units
Net Wt 0.9g - (1/32 oz)**





GFA Production Xiamen Co., Ltd
No. 20 Huli Industrial Park, Meixi Road,
Tong'an, Xiamen, Fujian, China 361100

Wellkang Ltd t/a Wellkang Tech Consulting
Suite B, 29 Harley Street
LONDON W1G 9QR, England, United Kingdom

Drug Facts - Triple Antibiotic

Each Gram Contains:	Purpose:
Bacitracin Zinc.....	400 units
Neomycin Sulfate.....	5 mg (equivalent to 3.5mg Neomycin base)
Polymyxin B Sulfate	5000 units

Uses: To help prevent infections in minor cuts, scrapes or burns.

Warnings: For external use only
Do not use: in eyes, over large areas of the body, if allergic to any of the ingredients, or for more than one week unless directed by a physician.

Stop use and consult a doctor: if the condition persists or gets worse, a rash or other allergic reaction develops.

Keep out of reach of children: If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other information: Store at room temperature.

Inactive ingredient: Vaseline...96.41%
Mineral oil.....2%
Purified water.

LOT

XXXXXXXXXX

EXP

XXXXXXXXXX

CVS CUTS AND SCRAPES REFILL PACK				
benzalkonium chloride, bacitracin zinc, neomycin sulfate, polymyxin b sulfate kit				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-402	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-402-00	1 in 1 BAG; Type 0: Not a Combination Product	12/01/2016	
Quantity of Parts				
Part #	Package Quantity		Total Product Quantity	
Part 1	8 PACKAGE		6 mL in .8	

Part 1 of 2**ANTISEPTIC**

benzalkonium chloride swab

Product Information

Item Code (Source)	NDC:52124-0001
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0001-1	0.8 mL in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/01/2016	

Part 2 of 2**GENUINE TRIPLE ANTIBIOTIC**

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Item Code (Source)	NDC:52124-0003
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
MINERAL OIL (UNII: T5L8T28FGP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0003-0	0.5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/16/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333A	12/01/2016	

Labeler - CVS (062312574)**Establishment**

Name	Address	ID/FEI	Business Operations
Tender Corporation		064437304	manufacture(69842-402)

Revised: 12/2016

CVS