

MEDI-FIRST BURN- lidocaine hydrochloride gel
Unifirst First Aid Corporation

Medi-First Burn Gel Drug Facts

Drug Facts

Active ingredient (in each gram)

Lidocaine HCl 2.0%

Purpose

Topical analgesic

Uses

For the temporary relief of pain associated with minor burns.

Warnings

For external use only.

Do not use

- in large quantities, particularly over raw or blistered areas

When using this product

- avoid contact with the eyes

Stop use ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clears up and occurs again within a few days

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **adults & children 2 years and older:** apply to affected area not more than 3 to 4 times daily
- **children under 2:** consult a doctor

Inactive ingredients

aloe vera, carbomer, germaben II, propylene glycol, purified water, menthol,

triethanolamine, vitamin E acetate

Questions?

Call 1-800-634-7680

Mfg. for Medique Products, 17080 Alico Commerce Ct., Ste 1, Fort Myers, FL 33967

Medi-First Burn Gel Label

Medi-First ®

Burn Gel

Lidocaine HCl / Topical Analgesic

Product # 47769

NET CONTENTS: 6 Units of 1/8 oz

Drug Facts	
Active ingredient (in each gram) Lidocaine HCl 2.0%	Purpose Topical analgesic
Uses For the temporary relief of pain associated with minor burns.	
Warnings For external use only.	
Do not use ■ in large quantities, particularly over raw surfaces or blistered areas	
When using this product ■ avoid contact with the eyes	
Stop use ask a doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ adults & children 2 years and older: apply to affected area not more than 3 to 4 times daily ■ children under 2: consult a doctor	
Inactive ingredients aloe vera, carbomer, germben II, propylene glycol, purified water, menthol, triethanolamine, vitamin E acetate	
Questions? Call 1-800-634-7680	
Retain carton for complete product information.	



MEDI-FIRST BURN

lidocaine hydrochloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-477
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

MENTHOL (UNII: L7T10EIP3A)	
TROLAMINE (UNII: 9O3K93S3TK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-477-69	6 in 1 BOX, UNIT-DOSE	07/30/2014	
1		3.3 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	07/30/2014	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation