

**NECTADYN - drosera rotundifolia and ipecac and rumex crispus root and antimony potassium tartrate and cupric sulfate and spongia officinalis skeleton, roasted syrup**

**Heel Inc**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Nectadyn Cough Syrup**

**PURPOSE**

Drosera rotundifolia 4X.....Relieves cough

Ipecacuanha 4X.....Relieves chest congestion

Rumex crispus 4X.....Relieves tickling cough

Antimonium tartaricum 6X.....Relieves chest congestion

Cuprum sulphuricum 6X.....Relieves cough

Spongia tosta 8X.....Relieves dry cough

**KEEP OUT OF REACH OF CHILDREN**

**Keep out of reach of children**

**INDICATIONS AND USAGE**

For the temporary relief of :

- Chest congestion
- Cough

**WARNINGS**

**Stop and ask a doctor if:**

If symptoms persist for more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition. Do not use if known sensitivity to Nectadyn or any of its ingredients exists.

**If pregnant or breast-feeding**, ask a healthcare provider before use.

**DOSAGE AND ADMINISTRATION**

**Directions:** Adults and children 12 and over

**Standard Dosage:**1-2 teaspoons every 4 to 6 hours up to 12 teaspoons per day

**Directions:** Children 4- 11 years

**Standard Dosage:**1 teaspoon every 2-3 hours up to 6 teaspoons per day

**Directions:** Children under 4 years

**Standard Dosage:**Consult a healthcare provider

## ACTIVE INGREDIENTS

**Active ingredients:** Drosera rotundifolia 4X, Ipecacuanha 4X, Rumex crispus 4X, Antimonium tartaricum 6X, Cuprum sulphuricum 6X, Spongia tosta 8X.

## INACTIVE INGREDIENTS

**Inactive ingredients:** honey, natural lemon flavor, preserved water, purified water, simple syrup



# NECTADYN

drosera rotundifolia and ipecac and rumex crispus root and antimony potassium tartrate and cupric sulfate and spongia officinalis skeleton, roasted syrup

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50 114-8510
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DROSERA ROTUNDIFOLIA</b> (UNII: QR44N9XPJQ) (DROSERA ROTUNDIFOLIA - UNII:QR44N9XPJQ)	DROSERA ROTUNDIFOLIA	4 [hp_X] in 125 mL
<b>IPECAC</b> (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	4 [hp_X] in 125 mL
<b>RUMEX CRISPUS ROOT</b> (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)	RUMEX CRISPUS ROOT	4 [hp_X] in 125 mL
<b>ANTIMONY POTASSIUM TARTRATE</b> (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY POTASSIUM TARTRATE	6 [hp_X] in 125 mL
<b>CUPRIC SULFATE</b> (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC SULFATE	6 [hp_X] in 125 mL
<b>SPONGIA OFFICINALIS SKELETON, ROASTED</b> (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	8 [hp_X] in 125 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>LEMON OIL</b> (UNII: I9GRO824LL)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50 114-8510-1	1 in 1 CARTON		
1		125 mL in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/31/2007	

**Labeler** - Heel Inc (102783016)

## Establishment

Name	Address	ID/FEI	Business Operations
Heel Belgium		282761204	manufacture(50 114-8510)

Revised: 1/2013

Heel Inc