

**MAGNESIUM CITRATE- epic medical magnesium citrate oral solution -
lemon liquid
4 Visions LLC**

Epic Medical Magnesium Citrate Oral Solution - Lemon

Active Ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Saline Laxative

Use

for relief of occasional constipation (irregularity).
Generally produces bowel movement in 1/2 to 6 hours

Warnings

kidney disease
a magnesium restricted diet
abdominal pain, nausea, or vomiting
noticed a sudden change in bowel habits that persists over a period of 2 weeks
already used a laxative for a period longer than 1 week

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking any other drug.
Take this product 2 or more hours before or after other drugs. Laxatives may affect
how other drugs work.

STOP USE AND ASK A DOCTOR IF

you have rectal bleeding or failure to have a bowel movement after use. These could be
signs of a serious condition.

IF PREGNANT OR BREAST-FEEDING

ask health professional before use.

KEEP OUT OF REACH OF CHILDREN.

In case of overdose, get medical help or contact a Poison Control Center right away.

Other Information

Store at temperatures between 46° and 86°F (8° and 30° C)

Directions

shake well before using

drink a full glass (8 ounces) of liquid with each dose

may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

Other Information

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

Inactive Ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

MAGNESIUM CITRATE

Saline Laxative

Alcohol content 0.025%
(From flavoring)

10 fl. oz (296ml)
NDC 87251-001-01

Lemon Flavor

REF 613-1125

Drug Facts

Active ingredient (in each fl oz) Purpose
Magnesium citrate 1.745 g Saline laxative

Uses: • For relief of occasional constipation (irregularity).
• Generally produces bowel movement in 1/2 to 6 hours

Warnings:
Ask a doctor before use if you have
• Kidney disease • a magnesium restricted diet
• Abdominal pain, nausea, or vomiting
• Noticed a sudden change in bowel habits that persists over a period of 2 weeks
• Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are
• Taking any other drug.
• Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident twist-off cap is missing, broken, or separated from neckring

COPY FREE AREA LEFT OPEN FOR LOT AND EXPIRATION DATE

Drug Facts (continued)

Store at temperatures between 46° and 86°F (8° and 30°C)

Directions: • shake well before using • drink a full glass (8 ounces) of liquid with each dose • may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other Information:
• each fl oz contains: magnesium 280 mg
• each fl oz contains: sodium 1 mg

Inactive ingredients: benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Manufactured for 4 Visions LLC Lakewood NJ 08701

8 50042 01548 3

MAGNESIUM CITRATE

epic medical magnesium citrate oral solution - lemon liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87251-001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKNOB0MIM)	
WATER (UNII: 059QF0KO0R)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
SUCRALOSE (UNII: 96K6UQ3Z D4)				
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87251-001-01	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/02/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M007	12/02/2025	

Labeler - 4 Visions LLC (144898309)

Revised: 12/2025

4 Visions LLC