

**STOPAIN CLINICAL- menthol, unspecified form gel**  
**Troy Manufacturing, Inc.**

-----  
**Stopain Clinical Gel**

***Drug Facts***

***Active Ingredient***

Menthol 10.0%

***Purpose***

Topical Analgesic

***Uses***

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

***Warnings***

Avoid contact with eyes. **For external use only.**

**Flammable: Keep away from fire or flame.**

**When using this product**

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

**Stop use and ask a doctor if**

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

### **Adults and children over 12 years:**

ask a doctor. **Children 12 years or younger:**

- apply directly onto affected area without the need to bandage
- repeat if necessary, but do not apply more than 4 times daily.

## ***Other Information***

- Store at room temperature

## ***Inactive Ingredients***

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, SD alcohol 39C, PEG-8 dimethicone, pentylene glycol, peppermint oil, triethanolamine, water (USP).

**Package Labeling:118ml**

**Drug Facts**

**Active Ingredient** *Purpose*  
Menthol 10.0%.....Topical Analgesic

**Uses** For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

**Warnings** For external use only. Avoid contact with eyes.

**Flammable: Keep away from fire or flame.**

**When using this product** ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

**Stop use and ask a doctor if** ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Adults and children 2 years of age and older:** ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use

**Children under 2 years of age:** do not use, consult a doctor

**Other Information** Store at room temperature

**Inactive Ingredients** acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)

**Questions or comments?** 1-800-201-7246



Manufactured for: Troy Healthcare, LLC  
130 Lions Drive • Hazleton, PA 18202  
800-201-PAIN (7246)

© 2025 Troy Healthcare, LLC 2-906 REV 02 / 0525

**MAXIMUM PERFORMANCE PAIN RELIEF**



CLINICAL

**MAXIMUM PERFORMANCE PAIN RELIEF**

Immediate, Penetrating Relief from  
Arthritis / Muscle Aches / Joint & Back Pain  
With **MSM & Glucosamine**

**GEL**

**4 FL OZ (118mL)**

For more information visit [StopainClinical.com](http://StopainClinical.com)

Package Labeling:473ml



CLINICAL

MAXIMUM PERFORMANCE PAIN RELIEF

Immediate, Penetrating Relief from Arthritis / Muscle Aches / Joint & Back Pain With MSM & Glucosamine

GEL

16 FL OZ (473mL)

MAXIMUM PERFORMANCE PAIN RELIEF

FAST ACTING, LONG-LASTING FORMULA

- 10% Active Menthol
- Sweat Resistant
- Paraben Free
- Absorbs Quickly
- Non-Greasy

For more information visit: StopainClinical.com



Manufactured for: Troy Healthcare, LLC 130 Lions Drive Hazleton, PA 18202 800-201-PAIN (7246)

Drug Facts

Active Ingredient	Purpose
Menthol 10.0%	Topical Analgesic
<b>Uses</b> For the temporary relief of minor aches and pains of muscles and joints associated with: <input type="checkbox"/> simple backache <input type="checkbox"/> arthritis <input type="checkbox"/> strains <input type="checkbox"/> bruises <input type="checkbox"/> sprains	
<b>Warnings</b> For external use only. Avoid contact with eyes.	
<b>Flammable: Keep away from fire or flame.</b>	
<b>When using this product</b> <input type="checkbox"/> use only as directed <input type="checkbox"/> do not bandage tightly or use a heating pad <input type="checkbox"/> do not apply to wounds or damaged skin	
<b>Stop use and ask a doctor if</b> <input type="checkbox"/> condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days <input type="checkbox"/> redness is present <input type="checkbox"/> excessive irritation of the skin develops	
<b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <b>Adults and children 2 years of age and older:</b> <input type="checkbox"/> apply directly onto affected area, not more than 3 to 4 times daily <input type="checkbox"/> wash hands after use <b>Children under 2 years of age:</b> do not use, consult a doctor	
<b>Other Information</b> Store at room temperature	
<b>Inactive Ingredients</b> acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)	
<b>Questions or comments?</b> 1-800-201-7246	

©2025 Troy Healthcare, LLC 2-902 REV 03 / 0325



Package Labeling:946ml



CLINICAL

MAXIMUM PERFORMANCE PAIN RELIEF

Immediate, Penetrating Relief from Arthritis / Muscle Aches / Joint & Back Pain With MSM & Glucosamine

GEL

32 FL OZ (946mL)

MAXIMUM PERFORMANCE PAIN RELIEF

FAST ACTING, LONG-LASTING FORMULA

- 10% Active Menthol
- Sweat Resistant
- Paraben Free
- Absorbs Quickly
- Non-Greasy

For more information visit: [StopainClinical.com](http://StopainClinical.com)



Manufactured for: Troy Healthcare, LLC 130 Lions Drive Hazleton, PA 18202 800-201-PAIN (7246)

©2024 Troy Healthcare, LLC 2-903 REV 02 / 0724

FOR PROFESSIONAL RE-SALE ONLY

Drug Facts	
Active Ingredient	Purpose
Menthol 10.0%	Topical Analgesic
<b>Uses</b> For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
<b>Warnings</b> For external use only. Avoid contact with eyes. <b>Flammable: Keep away from fire or flame.</b>	
<b>When using this product</b> ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin	
<b>Stop use and ask a doctor if</b> ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops	
<b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <b>Adults and children 2 years of age and older:</b> ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 3 to 4 times daily. <b>Children under 2 years of age:</b> do not use, consult a doctor.	
<b>Other Information</b> ■ Store at room temperature	
<b>Inactive Ingredients</b> acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).	



Package Labeling:3785ml



CLINICAL  
MAXIMUM PERFORMANCE PAIN RELIEF

Immediate, Penetrating Relief from Arthritis / Muscle Aches / Joint & Back Pain With MSM & Glucosamine

GEL

128 FL OZ (3,785mL)

FAST ACTING, LONG-LASTING FORMULA

- 10% Active Menthol
- Sweat Resistant
- Paraben Free
- Absorbs Quickly
- Non-Greasy

For more information visit: [StopainClinical.com](http://StopainClinical.com)

FOR PROFESSIONAL RE-SALE ONLY

Drug Facts	
Active Ingredient	Purpose
Menthol 10.0%	Topical Analgesic
<b>Uses</b> For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
<b>Warnings</b> For external use only. Avoid contact with eyes. <b>Flammable: Keep away from fire or flame.</b>	
<b>When using this product</b> ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin	
<b>Stop use and ask a doctor if</b> ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops	
<b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <b>Adults and children 2 years of age and older:</b> ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use <b>Children under 2 years of age:</b> do not use, consult a doctor	
<b>Other Information</b> Store at room temperature.	
<b>Inactive Ingredients</b> acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).	
<b>Questions or comments?</b> 1-800-201-7246	



Manufactured for: Troy Healthcare, LLC 130 Lions Drive Hazleton, PA 18202 800-201-PAIN (7246)

©2024 Troy Healthcare, LLC 2-904 REV 02 / 1224

STOPAIN CLINICAL

menthol, unspecified form gel

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63936-9750

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	100 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GLUCOSAMINE SULFATE</b> (UNII: 1FW7WLR731)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>PEG-8 DIMETHICONE</b> (UNII: GIA7T764OD)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9750-3	118 mL in 1 TUBE; Type 0: Not a Combination Product	01/18/2017	
2	NDC:63936-9750-4	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/18/2017	
3	NDC:63936-9750-2	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/18/2017	
4	NDC:63936-9750-1	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/18/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/18/2017	

**Labeler** - Troy Manufacturing, Inc. (160075248)

**Registrant** - Troy Manufacturing, Inc. (160075248)