

STOPAIN CLINICAL- menthol, unspecified form gel
Troy Manufacturing, Inc.

Stopain Clinical Gel

Drug Facts

Active Ingredient

Menthol 10.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

Avoid contact with eyes. **For external use only.**

Flammable: Keep away from fire or flame.

When using this product

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions**Adults and children over 12 years:**

ask a doctor. **Children 12 years or younger:**

- apply directly onto affected area without the need to bandage
- repeat if necessary, but do not apply more than 4 times daily.

Other Information

- Store at room temperature

Inactive Ingredients

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, SD alcohol 39C, PEG-8 dimethicone, pentylene glycol, peppermint oil, triethanolamine, water (USP).

Package Labeling:118ml



CLINICAL

MAXIMUM PERFORMANCE
PAIN RELIEF

Immediate, Penetrating Relief from
Arthritis / Muscle Aches / Joint & Back Pain
With MSM & Glucosamine

GEL

4 FL OZ (118mL)

MAXIMUM PERFORMANCE PAIN RELIEF

FOR PROFESSIONAL RE-SALE ONLY

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-------------------|
| Menthol 10.0% | Topical Analgesic |

Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily.

Children 12 years or younger: ask a doctor.

Other Information ■ Store at room temperature

Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentyleneglycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).



Manufactured for: Troy Healthcare, LLC
130 Lions Drive • Hazleton, PA 18202
800-201-PAIN (7246)

© 2021 Troy Healthcare, LLC 2-580 REV 02 / 0321

For more information visit www.StopainClinical.com

Package Labeling:473ml



CLINICAL

MAXIMUM PERFORMANCE
PAIN RELIEF

Immediate, Penetrating Relief from
Arthritis / Muscle Aches / Joint & Back Pain
With MSM & Glucosamine

GEL

16 FL OZ (473mL)

MAXIMUM PERFORMANCE PAIN RELIEF

FAST ACTING,
LONG-LASTING
FORMULA

- 10% Active Menthol
- Sweat Resistant
- Paraben Free
- Absorbs Quickly
- Non-Greasy

For more information visit:
StopainClinical.com



Manufactured for:
Troy Healthcare, LLC
130 Lions Drive
Hazleton, PA 18202
800-201-PAIN (7246)

Drug Facts

| Active Ingredient | Purpose |
|-------------------|-------------------|
| Menthol 10.0% | Topical Analgesic |

Uses For the temporary relief of minor aches and pains of muscles and joints associated with:
■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

When using this product ■ use only as directed
■ do not bandage tightly or use a heating pad
■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older:

■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use

Children under 2 years of age: do not use, consult a doctor

Other Information Store at room temperature

Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)

Questions or comments? 1-800-201-7246

©2025 Troy Healthcare, LLC
2-902 REV 03 / 0325



7 24909 97516 9

Package Labeling:946ml



CLINICAL

**MAXIMUM PERFORMANCE
PAIN RELIEF**

Immediate, Penetrating Relief from
Arthritis / Muscle Aches / Joint & Back Pain
With MSM & Glucosamine

GEL

32 FL OZ (946mL)

MAXIMUM PERFORMANCE PAIN RELIEF

**FAST ACTING,
LONG-LASTING
FORMULA**

- 10% Active Menthol
- Sweat Resistant
- Paraben Free
- Absorbs Quickly
- Non-Greasy

For more information visit:
StopainClinical.com



Manufactured for:
Troy Healthcare, LLC
130 Lions Drive
Hazleton, PA 18202
800-201-PAIN (7246)

©2024 Troy Healthcare, LLC
2-903 REV 02 / 0724

FOR PROFESSIONAL RE-SALE ONLY

| Drug Facts | |
|--|-------------------|
| Active Ingredient | Purpose |
| Menthol 10.0% | Topical Analgesic |
| Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains | |
| Warnings For external use only. Avoid contact with eyes. Flammable: Keep away from fire or flame. | |
| When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin | |
| Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops | |
| If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions Adults and children 2 years of age and older: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 3 to 4 times daily. Children under 2 years of age: do not use, consult a doctor. | |
| Other Information ■ Store at room temperature | |
| Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP). | |



7 24909 97532 9

Package Labeling:3785ml



CLINICAL

**MAXIMUM PERFORMANCE
PAIN RELIEF**

Immediate, Penetrating Relief from
Arthritis / Muscle Aches / Joint & Back Pain
With MSM & Glucosamine

GEL

128 FL OZ (3,785mL)

MAXIMUM PERFORMANCE PAIN RELIEF

**FAST ACTING,
LONG-LASTING
FORMULA**

- 10% Active Menthol
- Sweat Resistant
- Paraben Free
- Absorbs Quickly
- Non-Greasy

For more information visit:
StopainClinical.com



Manufactured for:
Troy Healthcare, LLC
130 Lions Drive
Hazleton, PA 18202
800-201-PAIN (7246)

©2024 Troy Healthcare, LLC
2-904 REV 02 / 1224

FOR PROFESSIONAL RE-SALE ONLY

| Drug Facts | |
|--|-------------------|
| Active Ingredient | Purpose |
| Menthol 10.0% | Topical Analgesic |
| Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains | |
| Warnings For external use only. Avoid contact with eyes. Flammable: Keep away from fire or flame. | |
| When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin | |
| Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops | |
| If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions Adults and children 2 years of age and older: ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use Children under 2 years of age: do not use, consult a doctor | |
| Other Information Store at room temperature | |
| Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP). | |
| Questions or comments? 1-800-201-7246 | |



7 24909 97501 5

STOPAIN CLINICAL

menthol, unspecified form gel

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63936-9750

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---------------------------|----------------|
| MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL, UNSPECIFIED FORM | 100 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ACRYLIC ACID (UNII: J94PBK7X8S) | |
| DIMETHYL SULFONE (UNII: 9H4PO4Z4FT) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| GLUCOSAMINE SULFATE (UNII: 1FW7WLR731) | |
| HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH) | |
| PEG-8 DIMETHICONE (UNII: GIA7T764OD) | |
| PENTYLENE GLYCOL (UNII: 50C1307PZG) | |
| PEPPERMINT OIL (UNII: AV092KU4JH) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:63936-9750-3 | 118 mL in 1 TUBE; Type 0: Not a Combination Product | 01/18/2017 | |
| 2 | NDC:63936-9750-4 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/18/2017 | |
| 3 | NDC:63936-9750-2 | 946 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/18/2017 | |
| 4 | NDC:63936-9750-1 | 3785 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/18/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 01/18/2017 | |

Labeler - Troy Manufacturing, Inc. (160075248)**Registrant** - Troy Manufacturing, Inc. (160075248)