OXYGEN- oxygen gas AGP LLC

Oxygen

Oxygen Compressed USP UN1072

Oxygen 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. PRODUCED BY AIR LIQUIFACTION DANGER: MAY CAUSE OR INTENCIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL OXYGEN 2

AGP

American Gas Products


AMERICAN GAS PRODUCTS

617-381-1020

24 Vine St., Everett, MA 02149

www.agpgas.com

Pressure PSIG at 70 degrees F Size Contents Liters



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 CONTENTS: LTRS: CU FT:

WARNING: For emergency use only when administered by properly trained personnel for oxygen

deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

Produced by Air Liquefaction.

AGP American Gas Products AMERICAN GAS PRODUCTS 617-381-1020 24 Vine St., Everett, MA

REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP UN1073



1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

MARRIBUG

USP For emergency use only when administered by properly trained personnel to carygen deficiency and resuscitation. For all other medical applications, Rx antly

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content or a teral blood, may be narmful. Do not attempt to use on patients who have stopped preathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

DANGER:

MAY CAUSE OR INTENSIFY FIRE DYIDIZER. CONTAINS REFRIG ERATED GAS MAY CAUSE CRYDGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT

the not handle until all safety precautions have been read and uniterstood. Keep and store away from clothing and other combustible materials. Keep valves and littings free from crease and cil. Use and store only outdoord or in a well-ventilated place. Wear ould insulating gloves, face shield, and eye protection, in case of fire. Stop teak it safe to do so. Use a back flow preventive device in the ploing: Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for cylinder pressure. Use only with equipment cleaned for cylinder pressure. Use only with equipment over sense of spills. Do not walk on or roll europment over soils. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

Size:

IF ON SKID: They trooted parts with lokewarm water. Do not rub affected area. Get immediate medical advice/attention

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

0120.	
Net Weight:	
ACP	AMERICAN GAS PRODUCTS 617-381-1020 24 Vine St., Everett, MA 02149 www.agpgas.com

02149 www.agpgas.com

OXYGEN

Product Information			
Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:22557-011
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L	

Pá	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22557-011-01	170 L in 1 CYLINDER		
2	NDC:22557-011-02	248 L in 1 CYLINDER		
3	NDC:22557-011-03	1724 L in 1 CYLINDER		
4	NDC:22557-011-04	150 L in 1 CYLINDER		
5	NDC:22557-011-05	255 L in 1 CYLINDER		
6	NDC:22557-011-06	426 L in 1 CYLINDER		
7	NDC:22557-011-07	671 L in 1 CYLINDER		
8	NDC:22557-011-08	3462 L in 1 CYLINDER		
9	NDC:22557-011-09	7981 L in 1 CYLINDER		
10	NDC:22557-011-10	9310 L in 1 CYLINDER		
11	NDC:22557-011-11	180 L in 1 DEWAR		
12	NDC:22557-011-12	240 L in 1 DEWAR		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141382	0 1/0 1/20 0 2	

Labeler - AGP LLC (027688717)

Registrant - AGP LLC (027688717)

Establishment				
Name	Address	ID/FEI	Business Operations	
AGP LLC		027688717	manufacture	

Revised: 11/2016 AGP LLC