MIST- alcohol spray Derma Glove

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Ethanol 62% v/v

Antimicrobial

For external use only. Flammable. Keep away from children.

Do not use in or near eyes. In case of eye contact, rinse thoroughly with water.

If redness or irritation develop and persist for more than 72 hours.

If swallowed, get medical help or contact a Poison Control Center right away.

Apply lotion directly onto body and rub with hands until dry. Product may be used on all skin surfaces. Children under 6 years of age should be supervised when using this product.

Apply lotion directly onto body and rub with hands until dry. Product may be used on all skin surfaces. Children under 6 years of age should be supervised when using this product.

Do not store above 110oF (43oC). For additional information, see Safety Data Sheet (SDS).

Water (aqua), glycereth-18 (and) glycereth-18 ethylhexanoate, PEG 1450, PEG-10 dimethicone, cocamide MEA, ethylene glycol distearate, PEG 75 lanolin, Diospyros kaki extract, retinyl palmitate (Vitamin A), magnesium ascorbyl phosphate (Vitamin C), d-l alpha tocopherol acetate (Vitamin E).

Call 1-888-300-1225, Monday through Friday 8:00AM to 5:00PM EST/EDT.

Active Ingredient Ethanol 62% v/v	Purpose Antimicrobial
Uses · Body sanitizer to help reduce bacteria on the skin. · Recommended for repeat use.	
Warnings · For external use only. · Flammable. Keep away from fire and flame.	
When using this product \cdot Do not use in or near eyes. \cdot In case of eye contact, rinse thoroughly with water.	roughly
Stop use and see a doctor • If redness or irritation develop and persist for more than 72 hours.	2 hours.
Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center right away.	trol
Directions • Apply lotion directly onto body and rub with hands until dry. • Product may be used on all skin surfaces. • Children under 6 years of age should be supervised when using this product.	sed on
Other information • Do not store above 110°F (43°C). • For additional information, see Safety Data Sheet (SDS).	fety
Inactive ingredients · Water (aqua), glycereth-18 (and) glycereth-18 ethylhexanoate, PEG 1450, PEG-10 dimethicone, ethylene glycol distearate, PEG 75 lanolin, Diospyros kaki extract, cocamide MEA, retinyl palmitate, (Vitamin A), magnesium ascorbyl phosphate (Vitamin C), d-l alpha tocopherol acetate (Vitamin E).	3 1450, le MEA, acetate
Questions or comments? • Call 1-888-300-1225, Monday through Friday 8:00AM to 5:00PM	Mdo

MIST

alcohol spray

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70741-003	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Alcohol (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	Alcohol	62 mL in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
Water (UNII: 059QF0KO0R)	30 mL in 100 mL	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:70741- 003-05	480 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	08/24/2016	
Marketing Information				
	N.C	A I! 4! No b M b	Non-selection of Charles	Na

Marketing Information Marketing Category OTC monograph not final Application Number or Monograph Citation Application Number or Monograph Date Marketing Start Date Marketing End Date 08/24/2016

Labeler - Derma Glove (962709569)

Registrant - Derma Glove (962709569)

Establishment					
Name	Address	ID/FEI	Business Operations		
Mid Lab Incorporated		047371463	manufacture(70741-003)		

Revised: 8/2023 Derma Glove