FLINKYE 5% MINOXIDIL HAIR GROWTH- flinkye 5% minoxidil hair growth shampoo shampoo Guangzhou Ariel Biotech Co., Ltd.

84148-017

Active Ingredient(s)

Minoxidil 5% w/v

Purpose

Hair regrowth treatment

Use

To regrow hair on the scalp

Warnings

For external use only.

Do not use

- .Your hair loss is associated with childbirth.
- .You have sudden or unexplained hair loss.
- . You are under 18 years of age.
- .Your scalp is red, inflamed, infected, irritated, or painful.
- $\cdot You$ are using other topical medicines on your scalp.
- . Do not apply to other parts of the body.
- . Some people may experience changes in hair color and/or texture.
- .Avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- .It takes time to regrow hair. Results may occur at 3 months.For some people, you may need to use this product for at least 6 months before you see results.

Discontinue use if redness or irritation occurs.

Keep out of reach of children.

Directions

- 1. Thoroughly wet hair and scalp with warm water. Use every 1 to 3 days.
- 2. Apply a generous amount of shampoo to your hair.
- 3. Gently massage into a rich lather for 3-5 minutes. Spend extra time on areas of concern.

4. Rinse thoroughly with warm water.

Other information

- .Store at controlled room temperature 20°C to 25°C (68F to 77°F).
- . Contents under pressure. Do not puncture or incinerate the container.
- . Do not expose to heat or store at temperatures above 49°C (120°F).

Inactive ingredients


Aqua (Water), Sodium C14-16 Olefin Sulfonate, Cocamidopropyl Betaine, Lauryl Glucoside, CocamideMIPA, Glycerin, Propylene Glycol, Biotin, Panthenol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Polyquaternium-10, PEG-7 Glyceryl Cocoate, Citric Acid, Phenoxyethanol, Ethylhexylglycerin, Fragrance (Parfum), Disodium EDTA.

Package Label - Principal Display Panel













FLINKYE 5% MINOXIDIL HAIR GROWTH

flinkye 5% minoxidil hair growth shampoo shampoo

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84148-017

Route of Administration CUTANEOUS

Active Ingredient/Active Moiety Ingredient Name Basis of Strength MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1) MINOXIDIL 5 g in 100 mL

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| SODIUM C14-16 OLEFIN SULFONATE (UNII: O9W3D3YF5U) | |
| COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX) | |
| LAURYL GLUCOSIDE (UNII: 76LN7P7UCU) | |
| COCAMIDE MIPA (UNII: 21X4Y0VTB1) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| BIOTIN (UNII: 6SO6U10H04) | |
| PANTHENOL (UNII: W/9CM0067Z) | |
| ROSMARINUS OFFICINALIS (ROSEMARY) LEAF POWDER (UNII: IJ67X351P9) | |
| POLYQUATERNIUM-10 (1000 MPA.S AT 2%) (UNII: GMR4PEN8PK) | |
| PEG-7 GLYCERYL COCOATE (UNII: VNX7251543) | |
| CITRIC ACID (UNII: 2968PHW8QP) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| PARFUMIDINE (UNII: A2Q2LHC6MA) | |
| AQUA (UNII: 059QF0KO0R) | |

| Packaging | | | | | | |
|-----------|----------------|---|-------------------------|-----------------------|--|--|
| # | tem Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:84148-017- | 300 mL in 1 BOTTLE; Type 0: Not a Combination Product | 12/05/2025 | | | |

| Marketing Information | | | | | | |
|-----------------------|---|-------------------------|-----------------------|--|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | |
| OTC Monograph Drug | 505G(a)(3) | 12/05/2025 | | | | |
| | | | | | | |

Labeler - Guangzhou Ariel Biotech Co., Ltd. (402818771)

| Establishment | | | | | | |
|-----------------------------------|---------|-----------|----------------------------|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | |
| Guangzhou Ariel Biotech Co., Ltd. | | 402818771 | manufacture(84148-017) | | | |

Revised: 12/2025 Guangzhou Ariel Biotech Co., Ltd.