

MAGNESIUM CITRATE- magnesium citrate liquid
Hy-Vee, Inc.

Hy-Vee 166.000/166AA-AB Rev 1
Lemon Magnesium Citrate

Active Ingredient (in each fl oz)

Magnesium citrate 1.745 g

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask A Doctor before use if you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Storage

Store at temperatures between 46° and 86°F (8° and 30°C).

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

Other information

- each fl oz contains: magnesium 290 mg
- each fl oz contains: sodium 1 mg

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Disclaimer

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

Adverse Reaction

DISTRIBUTED BY HY-VEE, INC.

5820 WESTOWN PARKWAY

WEST DES MOINES, IA 50266

Scan here for more information

SATISFACTION GUARANTEED OR PURCHASE PRICE REFUNDED, FOR INFORMATION
CALL 1-800-289-8343 www.hy-vee.com

Principal Display Panel

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED

FROM NECKRING

HyVee®

Lemon Magnesium Citrate

Saline Laxative

Non-pasturized

BPA Free

10 FL OZ (296 mL)

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

HyVee®

Lemon Magnesium Citrate

Saline Laxative

Non-pasteurized
BPA Free

10 FL OZ (296 mL)

Drug Facts

Active ingredient (in each fl oz) Purpose
Magnesium citrate 1.745 g..... Saline laxative

Uses ■ for relief of occasional constipation (irregularity).
■ Generally produces bowel movement in ½ to 6 hours

Warnings
Ask a doctor before use if you have
■ kidney disease ■ a magnesium restricted diet
■ abdominal pain, nausea, or vomiting
■ noticed a sudden change in bowel habits that persists over a period of 2 weeks
■ already used a laxative for a period longer than 1 week
Ask a doctor or pharmacist before use if you are
■ taking any other drug.
■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.
Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help

Drug Facts (continued)
or contact a Poison Control Center right away.
Store at temperatures between 46° and 86°F (8° and 30° C)

Directions ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other information
■ each fl oz contains: magnesium 290 mg
■ each fl oz contains: sodium 1 mg

Inactive ingredients benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

LO022468SA

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

DISTRIBUTED BY HY-VEE, INC.
5820 WESTOWN PARKWAY
WEST DES MOINES, IA 50266 VIA1025

0 75450 82433 6

1

Scan here for more information

SATISFACTION GUARANTEED OR PURCHASE PRICE REFUNDED. FOR INFORMATION CALL 1-800-255-3343 WWW.HY-VEE.COM

MAGNESIUM CITRATE

magnesium citrate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-249
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)		MAGNESIUM CITRATE	1.745 g in 29.6 mL
Inactive Ingredients			

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-249-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/05/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/05/2025	

Labeler - Hy-Vee, Inc. (006925671)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(42507-249)