

ULTA BROAD SPECTRUM SPF 50- avobenzone, homosalate, octisalate, octocrylene and oxybenzone spray
Prime Packaging, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients

Avobenzone 3%, Homosalate 10 %, Octisalate 5 %, Octocrylene 2.75 %, and Oxybenzone 4 %

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on broken or damaged skin

When using this product keep out of eyes. Rinse with water to remove.

- keep away from face to avoid breathing it.
- contents under pressure - do not puncture or incinerate. Do not store at temperatures above 120 °F

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly on face. Spray on hands then apply to face
- do not apply in windy conditions
- use in well-ventilated areas
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Inactive Ingredients

Diethylhexyl 2,6-Naphthalate, Fragrance (Parfum), Polyester-8, SD Alcohol 40-B, VA/Butyl Maleate/Isobornyl Acrylate Copolymer

Other information

- protect this product from excessive heat and direct sun
- avoid spraying on fabrics - could cause discoloration

Questions or Comments?

Call toll free 1-866-983-8582


PRINCIPAL DISPLAY PANEL - 177 mL Can Label

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3% Homosalate 10% Octisalate 5% Octocrylene 2.75% Oxybenzone 4%	Sunscreen
Uses	
<ul style="list-style-type: none"> ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
<ul style="list-style-type: none"> ■ keep away from face to avoid breathing it ■ contents under pressure – do not puncture or incinerate. Do not store at temperatures above 120°F 	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Flammable: Do not use near heat, flame or while smoking.	
Directions	
<ul style="list-style-type: none"> ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: <ul style="list-style-type: none"> • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor 	
Inactive ingredients	
Diethylhexyl 2,6-Naphthalate, Fragrance (Parfum), Polyester-8, SD Alcohol 40-B (Alcohol Denat.), VA/Butyl Maleate/Isobornyl Acrylate Copolymer	
Other information	
<ul style="list-style-type: none"> ■ protect this product from excessive heat and direct sun ■ avoid spraying on fabrics – could cause discoloration. 	
Questions or comments?	
Call 1-866-983-8582	
MADE IN USA FROM US AND IMPORTED INGREDIENTS DISTRIBUTED BY ULTA BOLINGBROOK, IL 60440 www.ulta.com	

SUNCARE

BROAD SPECTRUM SPF 50

WATER RESISTANT (80 MINUTES)
OIL-FREE
CONTINUOUS SPRAY SUNSCREEN


6 fl oz/177 ml

SUNCARE
 BROAD SPECTRUM
 SPF 50
 WATER RESISTANT
 (80 MINUTES)
 OIL-FREE
 CONTINUOUS SPRAY
 SUNSCREEN
 ULTA
 6 fl oz./177 ml

ULTA BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, octocrylene and oxybenzone spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13630-0070
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	25.4 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	84.8 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	42.4 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	23.3 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	33.9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: 10DQJ7YGXM)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENYL CAPPED) (UNII: T9296U138P)	
ALCOHOL (UNII: 3K9958V90M)	
DIBUTYL MALEATE (UNII: 4X371TMK9K)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13630-0070-4	177 mL in 1 CAN; Type 0: Not a Combination Product	12/17/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/17/2013	

Labeler - Prime Packaging, Inc. (805987059)

Registrant - Prime Packaging, Inc. (805987059)

Establishment

Name	Address	ID/FEI	Business Operations
Prime Enterprises, Inc.		10 1946028	manufacture(13630-0070) , analysis(13630-0070)

Establishment

Name	Address	ID/FEI	Business Operations
Prime Packaging, Inc.		805987059	label(13630-0070) , pack(13630-0070)

Revised: 1/2020

Prime Packaging, Inc.