

THIOSINAMINUM- allylthiourea pellet
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

THIOSINAMINUM

USES

To relieve the symptoms of scarring.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

THIOSINAMINUM Scarring

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, stop use and consult your practitioner.

DIRECTIONS

Adults: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides. Children: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL

Enter section text The OTC potency range of THIOSINAMINUM is 3x-30x, 2c-30c, 200c,

1m, 10m, 50m, and CM.

Availability is subject to change.

WHP
Since 1873

Homeopathic Medicine

Contents: 4 dr **Thiosinaminum 30C** HPUS†

*Scarring**

Drug Facts Active ingredient: See product name.
Uses: As indicated above. **Warning:** If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult a licensed practitioner. Keep out of reach of children. **Directions:** Adults & children: Dissolve 4 pellets under the tongue 3 times a day or as directed by a licensed practitioner. **Other information:** Do not use if seal is broken. **Inactive ingredient:** Sucrose, lactose.

Washington Homeopathic Products Lot N/A
260 JR Hawvermale Way, Berkeley Springs, WV 25411
800-336-1695 • homeopathyworks.com • Est No. 3006489197

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated. **Expires: 10/18/2028**

†Product is monographed in the Homeopathic Pharmacopoeia of the United States.



All WHP single remedies are made to order; thus, the labels are printed on the same label stock as the orders are filled.

'Bottle Size' and 'Potency' vary on the label depending on customer choice.

Standard bottle sizes for pellet-form remedies are 2 dram, 4 dram, 1 ounce, 2 ounce, and 4 ounce.

here

THIOSINAMINUM

allylthiourea pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68428-674
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
ALLYLTHIOUREA (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7)		ALLYLTHIOUREA	30 [hp_C]	
Inactive Ingredients				
Ingredient Name		Strength		
SUCROSE (UNII: C151H8M554)				
LACTOSE (UNII: J2B2A4N98G)				
Product Characteristics				
Color	white (white)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-674-03	75 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/03/2010	
2	NDC:68428-674-05	150 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/03/2010	
3	NDC:68428-674-11	300 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/03/2010	
4	NDC:68428-674-12	600 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/03/2010	
5	NDC:68428-674-06	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/03/2010	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		02/03/2010		

Labeler - Washington Homeopathic Products (084929389)

Establishment

Name	Address	ID/FEI	Business Operations
Washington Homeopathic Products		084929389	manufacture(68428-674)