

GOOD SENSE NASAL DECONGESTANT- pseudoephedrine hcl tablet, film coated

L. Perrigo Company

Perrigo Nasal Decongestant Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 tablets every 4 to 6 hours• do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	<ul style="list-style-type: none">• take 1 tablet every 4 to 6 hours• do not take more than 4 tablets in 24 hours
children under 6 years	do not use this product in children under 6 years of age

Other information

- each tablet contains: calcium 20 mg
- store at 20°-25°C (68°-77°F)
- **do not use if blister unit is broken or torn**

Inactive ingredients

carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

GOODSENSE®

Maximum Strength

Congestion

Non-Drowsy

Nasal Decongestant

Pseudoephedrine HCl Tablets

Actual Size

- Nasal & Sinus Congestion
- Sinus Pressure

Compare to active ingredient of Sudafed[®] Sinus Congestion Tablets

24 Tablets (30 mg Each)

43262 C2 C7

Drug Facts
Active ingredient (in each tablet) Pseudoephedrine HCl 30 mg, Nasal decongestant

Uses
Temporary relief of sinus congestion and pressure
Temporary relief of nasal congestion due to the common cold,
hay fever or other upper respiratory allergies

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have:
heart disease, high blood pressure,
thyroid disease, diabetes,
trouble urinating due to enlarged prostate gland
When using this product do not exceed recommended dosage
Stop use and ask a doctor if:
symptoms do not improve within 7 days or occur with a fever
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away (1-800-222-1222)

Other information
Each tablet contains calcium 20 mg
Store at 20°-25°C (68°-77°F)
Do not use if blister unit is broken or torn
Inactive ingredients carnuba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyethylene glycol, silicon dioxide, titanium dioxide
Questions or comments? 1-800-719-9260

Directions
Adults and children 12 years and over:
take 2 tablets every 4 to 6 hours
do not take more than 8 tablets in 24 hours
Children ages 6 to 11 years:
take 1 tablet every 4 to 6 hours
do not take more than 4 tablets in 24 hours
Children under 6 years:
do not use this product in children under 6 years of age

Drug Facts (continued)

Perigo
Allergan, MI 49010
Distributed By
Given Free

Perigo
Allergan, MI 49010
Distributed By
Given Free

Perigo
Allergan, MI 49010
Distributed By
Given Free



CONVENIENT RECLOSING TAB



GOODSENSE®

GOODSENSE®

NDC 0113-0432-62

Maximum Strength

Congestion Non-Drowsy

Nasal Decongestant



Pseudoephedrine HCl Tablets

Actual Size

- Nasal & Sinus Congestion
- Sinus Pressure

24 Tablets (30 mg Each)

Compare to active ingredient of Sudafed® Sinus Congestion Tablets

GOOD SENSE NASAL DECONGESTANT

pseudoephedrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0432
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	

Product Characteristics

Color	RED	Score	no score
Shape	ROUND (convex)	Size	7mm
Flavor		Imprint Code	L432
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0432-62	2 in 1 CARTON	09/15/1989	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/15/1989	

Labeler - L. Perrigo Company (006013346)

Revised: 12/2025

L. Perrigo Company