HANCHOBIT RADIANT PINK TONE UP SUN CREAM- titanium dioxide cream HANCHOYEANBIOTEC Co.,Ltd.

CENTELLA ASIATICA LEAF EXTRACT

- 1. The thin and light pink tone can brighten your skin tone and make your skin more supple and fair.
- 2. It has broad-spectrum protection, contains UVA and UVB filters, and effectively prevents sunburn.
- 3. It can moisturize the skin while protecting it from the sun, improve skin moisture, and make the skin younger.
- 4. It has a light texture, is easy to apply, and is convenient and quick to use. It is an ideal choice for sunscreen products.
- 1.15-20 minutes before going out, apply the sunscreen evenly on the face or body where the sunscreen is required, massage until fully absorbed, and then form a film naturally.
- 2.If you need to apply makeup, please use it before makeup. If exposed to the sun for a long time, it needs to be reapplied every 2-3 hours.

Please keep out of reach of children. Do not swallow. Please clean your hands before use to ensure the best results from the product. Discontinue use if signs of irritation or rash occur. Store in a cool and dry place.

Discontinue use if signs of irritation or rash occur.


Discontinue use if signs of irritation or rash occur.

Please keep out of reach of children. Do not swallow.

Please keep out of reach of children. Do not swallow.

AQUA ETHYLHEXYL METHOXYCINNAMATE TITANIUM DIOXIDE ISONONYL ISONONANOATE GLYCERYL STEARATE SODIUM DNA GLUTATHIONE NIACINAMIDE

- 1.15-20 minutes before going out, apply the sunscreen evenly on the face or body where the sunscreen is required, massage until fully absorbed, and then form a film naturally.
- 2.If you need to apply makeup, please use it before makeup. If exposed to the sun for a long time, it needs to be reapplied every 2-3 hours.
- 1.15-20 minutes before going out, apply the sunscreen evenly on the face or body where the sunscreen is required, massage until fully absorbed, and then form a film naturally.
- 2.If you need to apply makeup, please use it before makeup. If exposed to the sun for a long time, it needs to be reapplied every 2-3 hours.



titanium dioxide cream Product Information Product Type HUMAN OTC DRUG Item Code (Source) Route of Administration Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength

CENTELLA ASIATICA LEAF (UNII: 6810070TYD) (CENTELLA ASIATICA LEAF -	CENTELLA ASIATICA	0.005 mg
UNII:6810070TYD)	LEAF	in 50 mg

Inactive Ingredients			
Ingredient Name	Strength		
GLYCERYL STEARATE (UNII: 2300U9XXE4)	1 mg in 50 mg		
SODIUM PCA (UNII: 4690TG57A2)	0.05 mg in 50 mg		
NIACINAMIDE (UNII: 25X51I8RD4)	0.05 mg in 50 mg		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	2.5 mg in 50 mg		
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	2 mg in 50 mg		
AQUA (UNII: 059QF0KO0R)	39.845 mg in 50 mg		
GLUTATHIONE (UNII: GAN16C9B8O)	0.05 mg in 50 mg		
ETHYLHEXYL METHOXYCINNAMATE (UNII: 4Y5P7MUD51)	4.5 mg in 50 mg		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:85164-006-01	50 mg in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/08/2025	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	12/08/2025		

Labeler - HANCHOYEANBIOTEC Co.,Ltd. (963389256)

Establishment				
Name	Address	ID/FEI	Business Operations	
HANCHOYEANBIOTEC Co.,Ltd.		963389256	manufacture(85164-006)	

Revised: 12/2025 HANCHOYEANBIOTEC Co.,Ltd.