

LIDOCAINE ANORECTAL- lidocaine cream
Patrin Pharma, Inc

Lidocaine 5% Anorectal Cream

Drug Facts

Active Ingredient

Lidocaine 5% w/w

Purpose

Local anesthetic

Uses

Temporarily relieves pain and itching due to anorectal disorders

Warnings

When using this product

- Avoid contact with eyes
- Do not exceed recommended dosage unless directed by a doctor

Stop use and ask a doctor if

- Rectal bleeding occurs
- Condition worsens or does not improve within 7 days
- Allergic reaction occurs
- Redness, irritation, swelling, pain or other symptoms begin or increase
- Symptoms clear up and return within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- When practical, clean area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.
- Adults and children 12 years and older: Apply externally to the affected area up to 6 times a day.
- Children under 12 years of age: Consult a doctor

Other information

- Store at room temperature 20–25°C (68–77°F); Excursions permitted 15–30°C (59–86°F) [see USP Controlled Room Temperature].

Inactive ingredients

Benzyl Alcohol, Carbomer, Hydrogenated Lecithin, Isopropyl Myristate, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine, and Vitamin E Acetate

Questions?

Call 800-936-3088

PRINCIPAL DISPLAY PANEL - 30 gram Tube Carton

NDC 39328-025-30

Lidocaine

5%

Anorectal Cream

PATRIN

PHARMA

Net Wt. 30 grams



LIDOCAINE ANORECTAL

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:39328-025
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Lidocaine (UNII: 98PI200987) (Lidocaine - UNII:98PI200987)	Lidocaine	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
Benzyl Alcohol (UNII: LKG8494WBH)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
Isopropyl Myristate (UNII: 0RE8K4LNJS)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
Propylene Glycol (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
Trolamine (UNII: 9O3K93S3TK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39328-025-15	1 in 1 CARTON	11/01/2018	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:39328-025-30	1 in 1 CARTON	11/01/2018	
2		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M015	11/01/2018	

Labeler - Patrin Pharma, Inc (806841677)

Revised: 11/2024

Patrin Pharma, Inc