

WOFANLI QUIT SMOKING NICOTINE PATCHES- nicotine patches patch
Shenzhen Paxi Trading Co., Ltd.

85835-016

Active Ingredient

Nicotine 3mg

Purpose

Stop smoking aid

Use

Apply to dry, clean, hair-free skin.

Remove backing from patch and immediately press onto skin. Hold for 10 seconds.

Wash hands after applying or removing patch. Save pouch to use for patch disposal.

Dispose of the used patches by folding sticky ends together and putting in pouch.

If vivid dreams occur, remove the patch before bedtime.

Do not cut patch in half or into smaller pieces

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Warnings

If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider.

Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Do not use

Ask a doctor or pharmacist before use:

- Contraindicated in heart disease, recent MI, or arrhythmia. Nicotine may increase heart rate.
- History of seizures.
- Uncontrolled hypertension. Nicotine may elevate blood pressure.
- Stomach ulcer or diabetes .
- If allergic to adhesive or with pre-existing skin conditions, higher risk of dermal reactions may occur.

Ask Doctor

Ask a doctor or pharmacist before use if you:

- are using non-nicotine smoking cessation drug .
- are taking prescription medications for depression or asthma, your dosage may require adjustment.

When Using

When using this product

- if you experience vivid dreams or other sleep disturbances, remove the patch at bedtime.

Stop Use

- Patch-induced erythema persists beyond 4 days, localized edema develops, or a cutaneous rash appears.
- irregular heartbeat or palpitations occur.
- Symptoms of nicotine overdose may include persistent nausea, vomiting, dizziness, weakness, and rapid heartbeat.
- You have symptoms of an allergic reaction (such as difficulty breathing or rash).

Keep Out Of Reach Of Children

KEEP OUT OF REACH OF CHILDREN AND PETS.

Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center 1-800-222-1222 right away. Save the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

Directions

If you are under 18 years of age, ask a doctor before use.

before using this product, read the enclosed self-help guide for complete directions and other information

begin using the patch on your quit day

If you smoke more than 10 cigarettes per day, follow the schedule below:

Weeks 1 and 4

STEP 1

1 patch every 1 to 2 hours

Weeks 5 and 7

STEP 2

1 patch every 2 to 4 hours

Weeks 8 and 10

STEP 3

use 1/2

patch/day

Weeks 9 and 10

STEP 3

1 patch every 4 to 8 hours

to increase your chances of quitting, use at least 9 nicotine patches daily during the first week. If you experience strong or frequent cravings, you may apply a second patch within two hours. However, do not use one patch after another consecutively. if you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 3 weeks.

Apply to dry, clean, hair-free skin.

Remove backing from patch and immediately press onto skin. Hold for 10 seconds.

Wash hands after applying or removing patch. Save pouch to use for patch disposal.

Dispose of the used patches by folding sticky ends together and putting in pouch.

If vivid dreams occur, remove the patch before bedtime.

Do not cut patch in half or into smaller pieces

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Other information

Store at room temperature

Inactive ingredients

acrylate adhesive, aluminized polyester, cellulose paper, methacrylic acid copolymer.

Questions

After-sales service contact information:

For any product inquiries, contact us: Paxitrading@outlook.com

PRINCIPAL DISPLAY PANEL

Drug Facts

Active ingredient (in each patch)	Purpose
Nicotine, 3 mg delivered over 2 hours	Stop smoking aid

Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Warnings If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor or pharmacist before use:

- Contraindicated in heart disease, recent MI, or arrhythmia. Nicotine may increase heart rate.
- History of seizures.
- Uncontrolled hypertension. Nicotine may elevate blood pressure.
- Stomach ulcer or diabetes.
- If allergic to adhesive or with pre-existing skin conditions, higher risk of dermal reactions may occur.

Ask a doctor or pharmacist before use if you:

- are using non-nicotine smoking cessation drug.
- are taking prescription medications for depression or asthma, your dosage may require adjustment.

When using this product • If you experience vivid dreams or other sleep disturbances, remove the patch at bedtime.

Stop Use:

- Patch-induced erythema persists beyond 4 days, localized edema develops, or a cutaneous rash appears.
- Irregular heartbeat or palpitations occur.
- Symptoms of nicotine overdose may include persistent nausea, vomiting, dizziness, weakness, and rapid heartbeat.
- You have symptoms of an allergic reaction (such as difficulty breathing or rash).

KEEP OUT OF REACH OF CHILDREN AND PETS. Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center 1-800-222-1222 right away. Save the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

Directions • If you are under 18 years of age, ask a doctor before use. • Before using this product, read the enclosed self-help guide for complete directions and other information. • Begin using the patch on your quit day.

If you smoke more than 10 cigarettes per day, follow the schedule below:

Weeks 1 and 4	Weeks 5 and 7	Weeks 8 and 10
STEP 1	STEP 2	STEP 3
1 patch every 1 to 2 hours	1 patch every 2 to 4 hours	1 patch every 4 to 8 hours

• To increase your chances of quitting, use at least 9 nicotine patches daily during the first week. If you experience strong or frequent cravings, you may apply a second patch within two hours. However, do not use one patch after another consecutively.

- If you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 3 weeks.
- Apply to dry, clean, hair-free skin.
- Remove backing from patch and immediately press onto skin. Hold for 10 seconds.
- Wash hands after applying or removing patch. Save pouch to use for patch disposal.
- Dispose of the used patches by folding sticky ends together and putting in pouch.
- If vivid dreams occur, remove the patch before bedtime.
- Do not cut patch in half or into smaller pieces.
- It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Other information: Store at room temperature

For family's protection patches are supplied in child-resistant pouches. DO NOT USE IF INDIVIDUAL PATCHES OPEN OR TORN.

QUIT SMOKING STOP SMOKING AID

LOW NICOTINE CONTENT

QUIT SMOKING AID HELP TO QUIT SMOKING

Not for sale in vending machines or from any source where proof of age cannot be verified.

Persons under 18 years of age.

Inactive Ingredients

Ingredient Name	Strength
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
POLYESTER-7 (UNII: 0841698D2F)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85835-016-01	60 in 1 BOX; Type 0: Not a Combination Product	12/09/2025	
2	NDC:85835-016-02	120 in 1 BOX; Type 0: Not a Combination Product	12/09/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/09/2025	

Labeler - Shenzhen Paxi Trading Co., Ltd. (633886766)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Paxi Trading Co., Ltd.		633886766	manufacture(85835-016)

Revised: 12/2025

Shenzhen Paxi Trading Co., Ltd.