NITROGEN- nitrogen gas Quality Air Products Inc

Nitrogen

Precision Oxygen & Supply Co., Inc. 4927 East 5th Street Austin, TX 78702 512-385-2247

NITROGEN, COMPRESSED UN1066 DO NOT REMOVE THIS PRODUCT LABEL. NON-FLAMMABLE GAS 2 NITROGEN NF

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and the hazards, contraindications, and side effects and the precautions to be taken. WARNING: CONTAINS HIGH PRESSURE GAS; CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperature should not exceed 52° C (125°F). Close valve after each use and when empty. Use in Accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IF INHALED: Remove to fresh air if not breathing give artificial respiration. If breathing is difficult give oxygen. Call a physician. CAS: 7727-37-9

NI ME 23 CF NI MH 230 CF NI M300 304 CF NI CF



REFRIGERATED LIQUID NITROGEN, REFRIGERATED LIQUID NF UN1977 NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

Rx ONLY

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. Store and Use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperature should not exceed 52° C (125°F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in Accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

CONTENTS: LTRS: CU. FT.

DO NOT REMOVE THIS PRODUCT LABEL

Precision Oxygen & Supply Co., Inc. 4927 East 5th Street Austin, TX 78702 512-385-



NITROGEN, REFRIGERATED LIQUID

UN1977



† ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. † DO NOT CHANGE OR FORCE FIT CONNECTIONS.

R only

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.

CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty.

Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

Precision Oxygen & Supply Co., Inc.

4927 East 5th Street • Austin, TX 78702

512-385-2247

2247

NITROGEN

nitrogen gas

| D | ra | \sim | ш | ct | ~ | _ | rm | - | \mathbf{a} | n |
|---|----|--------|---|----|---|---|----|---|--------------|----------|
| | 10 | ш | ш | LL | | u | | | w | |

NDC:63978-300 **HUMAN PRESCRIPTION DRUG** Item Code (Source) **Product Type**

Route of Administration RESPIRATORY (INHALATION)

| Active Ingredient/Active Moiety | | | | | |
|--|-------------------|---------------|--|--|--|
| Ingredient Name | Basis of Strength | Strength | | | |
| NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75) | NITROGEN | 990 mL in 1 L | | | |

| Packaging | | | | | | |
|-----------|----------------------|---|-------------------------|-----------------------|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:63978- 300-01 | 651 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/2004 | | | |
| 2 | NDC:63978- 300-02 | 6512 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/2004 | | | |
| 3 | NDC:63978- 300-03 | 8608 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/2004 | | | |
| 4 | NDC:63978- 300-04 | 180 L in 1 DEWAR; Type 0: Not a Combination Product | 01/01/2004 | | | |
| 5 | NDC:63978- 300-05 | 240 L in 1 DEWAR; Type 0: Not a Combination Product | 01/01/2004 | | | |

| Marketing Information | | | | | |
|-----------------------|---|-------------------------|-----------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| NDA | NDA205766 | 01/01/2004 | | | |
| | | | | | |

Labeler - Quality Air Products Inc (557254711)

| Establishment | | | | | | | |
|----------------------------|---------|-----------|----------------------------|--|--|--|--|
| Na me | Address | ID/FEI | Business Operations | | | | |
| Quality Air Products, Inc. | | 078505617 | manufacture(63978-300) | | | | |

Revised: 12/2025 Quality Air Products Inc