

**BASIC CARE OMEPRAZOLE AND SODIUM BICARBONATE- omeprazole, sodium bicarbonate capsule, gelatin coated**  
**Amazon.com Services LLC**

-----  
**Amazon Omeprazole and Sodium Bicarbonate Drug Facts**

**Active ingredients (in each capsule)**

Omeprazole 20 mg

Sodium Bicarbonate 1100 mg

**Purpose**

Acid reducer

Allows absorption of this omeprazole product

**Use**

- treats frequent heartburn (occurs ***2 or more*** days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

**Warnings**

**Allergy alert:**

- do not use if you are allergic to omeprazole.
- omeprazole may cause severe skin reactions. Symptoms may include:
  - skin reddening
  - blisters
  - rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use if you have:**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

## Other information

- each capsule contains: **sodium 303 mg**
- read the directions, warnings and accompanying label information before use
- store at 20-25°C (68-77°F)
- tamper-evident: Do not use if the band around the capsule is missing or broken. Do not use if printed seal under cap is broken or missing.
- keep product out of high heat and humidity
- protect product from moisture

## Inactive ingredients

FD&C blue no. 1, FD&C blue no. 2 aluminum lake, FD&C red no. 40, gelatin, polysorbate 80, sodium lauryl sulfate, sodium starch glycolate, sodium stearyl fumarate, titanium dioxide

## Questions or comments?

**1-800-719-9260**

## Package/Label Principal Display Panel

amazon

basic care

Acid Reducer

Compare to Zegerid OTC<sup>®</sup> active ingredients

24 Hour

Omeprazole and Sodium Bicarbonate

Capsules, 20 mg/1100 mg

- Acid Reducer
- Allows Absorption of this Omeprazole Product

actual size

Clinically Proven To Treat Frequent Heartburn

42 CAPSULES

THREE 14-DAY COURSES OF TREATMENT

May take 1 to 4 days for full effect

**HOW OMEPRAZOLE AND SODIUM BICARBONATE CAPSULES WORKS FOR YOUR FREQUENT HEARTBURN**

Omeprazole and Sodium Bicarbonate Capsules works differently from other OTC heartburn products, such as antacids and other acid reducers. Omeprazole and Sodium Bicarbonate Capsules stops acid production at the source - the **acid pump** that produces stomach acid. Omeprazole and Sodium Bicarbonate Capsules is to be used once a day (every 24 hours), every day for 14 days.

**Clinically Proven  
To Treat  
Frequent Heartburn**

**TIPS FOR MANAGING HEARTBURN**

- Do not lie flat or bend over soon after eating
- Do not eat late at night or just before bedtime
- Certain foods or drinks are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some fruits and vegetables
- Eat slowly and do not eat big meals
- If you are overweight, lose weight
- If you smoke, quit smoking
- Raise the head of your bed
- Wear loose-fitting clothing around your stomach



**Acid Reducer**

NDC 72288-732-03

Compare to  
Zegerid OTC®  
active ingredients\*

**24 Hour**

# Omeprazole and Sodium Bicarbonate Capsules, 20 mg/1100 mg

- Acid Reducer
- Allows Absorption of this Omeprazole Product

**Clinically Proven To Treat Frequent Heartburn**

actual size



**42 CAPSULES**

**THREE 14-DAY COURSES OF TREATMENT**

May take 1 to 4 days for full effect




how2recycle.info



actual size

732D7 BN C3



**Drug Facts**

**Active ingredients (in each capsule)**  
 Omeprazole 20 mg.....  
 Sodium Bicarbonate 1100 mg.....

**Purpose**  
 Acid reducer  
 Allows absorption of this omeprazole product

**Use**

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

**Warnings**

**Allergy alert:**

- do not use if you are allergic to omeprazole.
  - omeprazole may cause severe skin reactions. Symptoms may include:
    - skin reddening
    - blisters
    - rash
- If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use if you have:**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
  - heartburn with **lightheadedness, sweating or dizziness**
  - chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
  - frequent **chest pain**
- These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

**Drug Facts (continued)**

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Drug Facts (continued)**

**Other information**

- each capsule contains: sodium 303 mg
- read the directions, warnings and accompanying label information before use
- store at 20-25°C (68-77°F)
- tamper-evident: Do not use if the band around the capsule is missing or broken. Do not use if printed seal under cap is broken or missing.
- keep product out of high heat and humidity
- protect product from moisture

**Inactive ingredients** FD&C blue no. 1, FD&C blue no. 2 aluminum lake, FD&C red no. 40, gelatin, polysorbate 80, sodium lauryl sulfate, sodium starch glycolate, sodium stearyl fumarate, titanium dioxide

**Questions or comments?**  
 1-800-719-9260

\*This product is not manufactured or distributed by Riley Consumer Care, distributor of Zegerid OTC®.

**GLUTEN FREE**

**DISTRIBUTED BY:**  
 AMAZON.COM SERVICES LLC  
 410 TERRY AVENUE N.  
 SEATTLE, WA 98109  
 © 2024 AMAZON.COM, INC.  
 OR ITS AFFILIATES.  
 ALL RIGHTS RESERVED.

**BASIC CARE OMEPRAZOLE AND SODIUM BICARBONATE**

omeprazole, sodium bicarbonate capsule, gelatin coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72288-732
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OMEPRAZOLE</b> (UNII: KG60484QX9) (OMEPRazole - UNII:KG60484QX9)	OMEPRazole	20 mg
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37, BICARBONATE ION - UNII:HN1ZRA3Q20)	SODIUM BICARBONATE	1100 mg

## Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	WHITE (blue band)	Score	no score
Shape	CAPSULE	Size	23mm
Flavor		Imprint Code	732
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-732-03	3 in 1 CARTON	07/22/2021	
1	NDC:72288-732-01	14 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA201361	07/22/2021	

**Labeler** - Amazon.com Services LLC (128990418)

Revised: 11/2025

Amazon.com Services LLC