

**ANTISEPTIC- benzalkonium chloride, benzocaine spray**  
**Safetec of America, Inc.**

-----  
**61010-5300, Cut and Scrape Antiseptic**

**Drug Facts**

**Active Ingredients**

Benzalkonium Chloride 0.1%

Benzocaine 5.0%

**Purpose**

First Aid Antiseptic

Topical Pain Relief

**Uses**

First aid to help prevent infection and for temporary pain relief in minor cuts, scrapes and burns

**Warnings**

**For external use only. Flammable keep away from fire or flame.**

**Do not use**

- near eyes or mucous membranes
- on deep or puncture wounds, animal bites, or serious burns
- over large areas of the body
- more than one week unless directed by a doctor

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Stop use and ask doctor if** condition persists or gets worse

**Directions**

- clean affected and spray 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 ask a doctor.

**Inactive ingredients**

isopropyl alcohol, purified water

**PRINCIPAL DISPLAY PANEL - bottle label**

NDC 61010-5300-0

Safetec

Cut & Scrape  
Antiseptic Spray

For Temporary Pain  
Relief and to Help  
Prevent Infection in  
Minor Cuts, Scrapes  
and Abrasions.

2 fl. oz. (59.1ml)  
Reorder no. 53000

NDC 61010-5300-0	
<p><b>Cut &amp; Scrape</b> <b>Antiseptic Spray</b></p>	
<p>For Temporary Pain Relief and to Help Prevent Infection in Minor Cuts, Scrapes and Abrasions.</p>	
<p>2 fl. oz. (59.1ml) Reorder no. 53000</p>	
<p><b>Drug Facts</b></p>	
<p><b>Active ingredients</b></p>	<p><b>Purpose</b></p>
<p>Benzalkonium Chloride 0.1% ..... Benzocaine 5.0% .....</p>	<p>First aid antiseptic Topical pain relief</p>
<p><b>Uses</b> First aid to help prevent infection and for temporary pain relief in minor cuts, scrapes and burns</p>	
<p><b>Warnings</b> For external use only. Flammable keep away from fire or flame</p>	
<p>Do not use ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor</p>	
<p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p>Stop use and ask a doctor if condition persists or gets worse</p>	
<p><b>Directions</b> ■ clean affected area and spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 ask a doctor</p>	
<p><b>Inactive ingredients</b> isopropyl alcohol, purified water</p>	
<p>Manufactured by <b>SAFETEC OF AMERICA, Inc.</b> Buffalo, NY 14215 800-456-7077 www.safetec.com</p>	

**ANTISEPTIC**

benzalkonium chloride, benzocaine spray

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:61010-5300

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1 mg in 1 g
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61010-5300-2	90 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/15/2012	
2	NDC:61010-5300-0	60 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/15/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/15/2012	

**Labeler** - Safetec of America, Inc. (874965262)

### Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	manufacture(61010-5300)

Revised: 2/2024

Safetec of America, Inc.