

HYDROGEN PEROXIDE FIRST AID ANTISEPTIC- hydrogen peroxide liquid
Medline Industries, LP

981 Medline Hydrogen Peroxide Solution

Active ingredient

Hydrogen peroxide (stabilized) 3%

Purpose

First Aid Antiseptic
Oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

- Clean the affected area
- Apply a small amount of product on the area 1 to 3 times a day

- May be covered with a sterile bandage
- If bandaged, let dry first

Oral debriding agent: adults, children over 2 years of age:

- mix with an equal amount of water
- swish around in the mouth over the affected area for at least 1 minute, then spit out
- use up to 4 times daily after meals and at bedtime
- children under 12 years of age should be supervised in the use
- children under 2 years of age: consult a dentist, doctor

Other information

Keep tightly closed. Protect from freezing, avoid excessive heat. Do not shake bottle. Hold away from face when opening.

Inactive ingredients

purified water

Manufacturing Information

www.medline.com

Made in US with US and foreign components

for Medline Industries, LP,
Three Lakes Drive, Northfield, IL 60093 USA
1-800-MEDLINE

REF: MDS098001Z

Package Label



NDC: 53329-981-06

HYDROGEN PEROXIDE

3%

First aid antiseptic
Oral debriding agent

Product sealed for your protection

16 FL OZ

(1 PT) 473 mL

L0015309FA

Drug Facts

Active ingredient Hydrogen peroxide (stabilized) 3%	Purpose First aid antiseptic, oral debriding agent
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth	
Warnings For external use only Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns Stop use and ask a doctor if ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions First aid antiseptic: ■ clean the affected area ■ apply a small amount of product on the affected area 1 to 3 times a day ■ may be covered with a sterile bandage ■ if bandaged, let dry first Oral debriding agent: adults, children over 2 years of age: ■ mix with an equal amount of water ■ swish around in the mouth over the affected area for at least 1 minute, then spit out ■ use up to 4 times daily after meals and at bedtime ■ children under 12 years of age should be supervised in the use ■ children under 2 years of age: consult a dentist, doctor	
Other information Keep tightly closed. Protect from freezing, avoid excessive heat. Do not shake bottle. Hold away from face when opening.	
Inactive ingredient purified water	

REF MDS098001Z



0 80196 74870 2

www.medline.com
Made in US with US and foreign components for Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA.
1-800-MEDLINE
V1 RJ24VJD
L0015309BB

HYDROGEN PEROXIDE FIRST AID ANTISEPTIC			
hydrogen peroxide liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-981
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL	

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-981-06	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2007	
2	NDC:53329-981-25	3780 mL in 1 JUG; Type 0: Not a Combination Product	01/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/2007	

Labeler - Medline Industries, LP (025460908)

Registrant - Medline Industries, LP (025460908)

Revised: 2/2026

Medline Industries, LP