

LIDOCAINE PAIN RELIVING GEL-PATCH- pain reliving gel-patch cloth
Shenzhen Yuetai Electronic Commerce Co., Ltd

84291-004

Active Ingredient(s)

Lidocaine 4.0%

Purpose

Topical anesthetic

Use

Temporarily relieves muscle soreness and minor joint pain

Warnings

For external use only

Do not use

- On cut, irritated, or swollen skin ■ With a heating pad or device
- If you are allergic to any active or inactive ingredients in this product
- For more than one week without consulting a doctor ■ More than one patch at a time
- If the pouch is damaged or opened

Use only as directed

Do not bandage tightly

Do not microwave

Avoid contact with eyes, mucous membranes, or rashes

Your condition worsens

Localized skin reactions such as rash, itching, redness, swelling, or blistering occur

Symptoms persist for more than 7 days or clear up and then return within a few days

If swallowed, get medical help or contact a Poison Control Center right away

Directions

Adults and children 12 years of age and older:

- Clean and dry the affected area
- Do not use more than 3 to 4 patches daily
- Carefully peel off the protective film, starting from one corner
- Apply the sticky side of the patch to the affected area and press firmly to ensure adhesion

- Use only one patch at a time
 - Leave on for up to 8 to 12 hours
 - Discard the patch after a single use
- Children under 12 years of age: Consult a physician


Other information


Store in a clean, dry place away from direct sunlight.
Do not store at temperatures above 30°C (86°F).
Protect from excessive moisture..


Inactive ingredients


Water, Glycerin, Propylene Glycol, Sodium Polyacrylate, Polyvinyl Alcohol, Tartaric Acid

Package Label - Principal Display Panel
















LIDOCAINEPAIN PAIN RELIVING GEL-PATCH

pain relieving gel-patch cloth

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84291-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 U in 100 U

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
TARTARIC ACID (UNII: W4888I119H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84291-004-01	34 U in 1 BOX; Type 0: Not a Combination Product	12/11/2025	
2	NDC:84291-004-02	30 U in 1 BOX; Type 0: Not a Combination Product	12/11/2025	
3	NDC:84291-004-03	25 U in 1 BOX; Type 0: Not a Combination Product	12/11/2025	
4	NDC:84291-004-04	26 U in 1 BOX; Type 0: Not a Combination Product	12/11/2025	
5	NDC:84291-004-05	20 U in 1 BOX; Type 0: Not a Combination Product	12/11/2025	
6	NDC:84291-004-06	15 U in 1 BOX; Type 0: Not a Combination Product	12/11/2025	
7	NDC:84291-004-07	10 U in 1 BOX; Type 0: Not a Combination Product	12/11/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/11/2025	

Labeler - Shenzhen Yuetai Electronic Commerce Co., Ltd (403120360)**Establishment**

Name	Address	ID/FEI	Business Operations
Shenzhen Yuetai Electronic Commerce Co., Ltd		403120360	manufacture(84291-004)

Revised: 12/2025

Shenzhen Yuetai Electronic Commerce Co., Ltd