HURRICAINE ONE- topical anesthetic and antiseptic spray Beutlich Pharmaceuticals LLC

HC1 - Lidocaine

Drug Facts

Active Ingredients

Lidocaine 4%

Benzalkonium Chloride 0.13%

Purpose

Topical Anesthetic/Analgesic

Topical First-Aid Antiseptic

Uses

Uses:

- For the temporary relief of pain
- First aid to help protect against infection in minor cuts, scrapes, and burns

Warnings

- For external use only. Do not use In the eyes or apply over large areas of the body, particularly over raw surlaces or blistered areas. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor.
- If condition worsens, or If symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use longer than 1 week unless directed by a doctor.
- Flammable. Keep away from fire or flame.

Do not use

Do not Use

- if foil pouch has been previously opened
- in children under 2 years of age

When using this product

• avoid contact with eyes

Keep out of reach of children.

If more than used for pain is accidently swallowed, get medical help or contact a Poison Control Center Immediately

Directions

• do not exceed recommended dosage

adults and children 2 years of age and older: Clean the affected area. Spray a small amount of this product on the area 1 to 3 times dally. May be covered with a sterile bandage. If bandaged, let dry first.

children under 2 years of age: do not use, consult a physician

Other information

• store at 15-30 °C (59-86 °F)

Inactive ingredients


Polyethylene glycol, Ethanol

Questions or comments?

1-800-238-4582

M-F: 8:00 a.m. - 4:30 p.m. ET

Principal Display Panel




Please retain Drug Facts for future reference Drug Facts (continued) Drug Facts Warnings (continued) Do not use if foil pouch has been previously opened in children under 2 years of age Active ingredient Purpose Lidocaine 4% Topical Analgesic Benzalkonium chloride 0.13% First Aid Antiseptic When using this product avoid contact with eyes Keep out of reach of children. If accidentally swallowed, get medical help or contact a Poison Control Center immediately. · For the temporary relief of pain. Directions do not exceed recommended dosage · First aid to help protect against infection in minor cuts, scrapes, and burns. dose age adults and children 2 years of Clean the affected area. Spray a small amount of this product on the area 1 to 3 times daily. age and older Warnings May be covered with a sterile bandage. If For external use only. Do not use in the eyes or apply over large bandaged, let dry first. areas of the body, particularly over raw surfaces or blistered children under 2 years of age | do not use, consult a physician areas. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Other information store at 15-30°C (59-86°F) If condition worsens, or if symptoms persist for more than 7 days Inactive ingredients or clear up and occur again within a few days, discontinue use of this product and consult a doctor. Do not use longer than 1 week Ethanol, Polyethylene glyco unless directed by a doctor. Questions or comments? Flammable. Keep away from fire or flame. 1-800-238-8542 M-F: 8:00 a.m. - 4:30 p.m. ET

HOL82 965 1224



Please retain Drug Facts for future reference







No Co



Herri Caine OME* is a registered trademark of Beutica Pharmaceuticals, LLC. 7775 S. US Hwy 1, Suite N, Burnell, FL 32110, www.heutlich.com

HOLB25 966 0225



HURRICAINE ONE

topical anesthetic and antiseptic spray

Product Informatio	n
---------------------------	---

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0283-1024

0

Route of Administration TOPICAL

Active Ingredient/Active Moiety

ı	Ingredient Name	Basis of Strength	Strength
	LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	40 mg in 1 g

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM -	BENZALKONIUM CHLORIDE	1.3 mg
UNII:7N6JUD5X6Y)	BEINZ ALKOINIUM CHLOKIDE	in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	200 mg in 1 g		
ALCOHOL (UNII: 3K9958V90M)	758.7 mg in 1 g		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0283- 1024-11	2 in 1 BOX	12/10/2025		
1	NDC:0283- 1024-43	0.37 g in 1 APPLICATOR; Type 0: Not a Combination Product			
2	NDC:0283- 1024-26	25 in 1 BOX	12/10/2025		
2	NDC:0283- 1024-43	0.37 g in 1 APPLICATOR; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/10/2025	

Labeler - Beutlich Pharmaceuticals LLC (005209325)

Registrant - Beutlich Pharmaceuticals LLC (005209325)

Establishment				
Name	Address	ID/FEI	Business Operations	
Beutlich Pharmaceuticals, LLC		005209325	pack(0283-1024) , label(0283-1024)	

Revised: 12/2025 Beutlich Pharmaceuticals LLC