

DR. LUKE BEE VENOM WART AND CORN REMOVER- salicylic acid topical solution solution
DANOUS LAND FLOW LLC

Drug Facts

Drug Facts

Active ingredient

Salicylic Acid 17%

Purpose

Wart remover

Uses

- for the removal of common warts (easily recognized by the rough “cauliflower-like” surface)
- for the removal of plantar warts (on the bottom of the foot)

Warnings

for external use only

Do not use

- on irritated, infected, or reddened skin
- on moles, birthmarks, warts with hair, or on the face
- on genital warts, mucous membranes, or on the nose or lips
- if you have diabetes or poor blood circulation
- on broken skin
- if you are allergic to bee stings/bee venom (product contains bee venom as an inactive ingredient)
- with any other wart removal product
- on sensitive areas such as the face, armpits, or private areas

Ask a doctor before use if you are

- pregnant or breastfeeding
- using any other topical medications on the area

When using this product

- avoid contact with eyes. If contact occurs, flush with water for 15 minutes.
- avoid inhaling vapors. Use in a well-ventilated area.
- transient stinging or mild irritation may occur.
- do not touch the liquid film until it has completely dried.

Stop use and ask a doctor if

- discomfort, burning, or irritation persists

- excessive skin irritation occurs
- the wart does not improve after 12 weeks of use
- accidental ingestion occurs

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.
- Not for use on children under 12 years old.

Directions

1. Soak the wart in warm water for about 15 minutes; dry thoroughly.
2. Using the precision brush, apply a thin layer to cover the wart. Wait until it dries to a film, then apply an extra thin layer if needed.
3. Use twice daily. For larger or thicker warts, more frequent application may be used if needed.
4. After 3 days of continuous use, gently remove the dried film with tweezers, then continue applying.
5. After several days, you may also remove loosened dead skin after soaking; do not cut the wart.

Other Information

- Store at 20–25°C (68–77°F). Avoid heat and direct sunlight.
- Keep bottle tightly closed to prevent evaporation.
- Tamper evident: Do not use if safety seal is broken or missing.
- Drying time: normally forms a protective film within 20–30 seconds. In humid or rainy weather, drying may take longer.

Inactive Ingredients

Bee Venom, Water, Brucea javanica, Coptis chinensis, Phellodendron amurense, Acorus calamus, Menthol, Honeysuckle, Triclosan, Borneol, Glycerin.

Questions

www.drlukehealthcare.com

Email info@drlukehealthcare.com

PRINCIPAL DISPLAY PANEL



DR. LUKE BEE VENOM WART AND CORN REMOVER

salicylic acid topical solution solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87147-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1000 mL

Inactive Ingredients

Ingredient Name	Strength
COPTIS CHINENSIS ROOT (UNII: CXS4LJR7EL)	
PHELLODENDRON AMURENSE BARK (UNII: PBG27B754G)	

MENTHOL (UNII: L7T10EIP3A)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
BORNEOL (UNII: M89NIB437X)	
BRUCEA JAVANICA FRUIT (UNII: 50268139XV)	
ACORUS CALAMUS ROOT (UNII: XY1K7KIQ0F)	
TRICLOSAN (UNII: 4NM5039Y5X)	
APIS MELLIFERA VENOM (UNII: 76013O881M)	
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87147-010-01	30 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/10/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	12/10/2025	

Labeler - DANOUS LAND FLOW LLC (067045402)

Revised: 12/2025

DANOUS LAND FLOW LLC