

ROC HYDRATION PLUS SPF 30- avobenzone, homosalate, octisalate, octocrylene lotion
Roc Skincare

RoC Hydration Plus SPF 30 Lotion

Active Ingredients

Avobenzone 2.0%, Homosalate 5.5%, Octisalate 4.5%, Octocrylene 4.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply generously and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - **Children under 6 months of age: Ask a doctor**

Other information

- Protect this product from excessive heat and direct sun

Inactive ingredients

Water/Aqua/Eau, Pentylene Glycol, Dimethicone, Octyldodecanol, Caprylyl Methicone, Propanediol, Potassium Cetyl Phosphate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Hyaluronic Acid, 1,2-Hexanediol, Hydrolyzed Sodium Hyaluronate, Biosaccharide Gum-4, Jasminum Sambac (Jasmine) Leaf Cell Extract, Glycerin, Dibutyl Lauroyl Glutamide, Carbomer, Aminomethyl Propanol, Dibutyl Ethylhexanoyl Glutamide, Capryloyl Glycerin/Sebacic Acid Copolymer, Caprylhydroxamic Acid, Disodium EDTA, Fragrance/Parfum.

Questions or Comments?

Call toll free 1-800-RoC-1964 (1-800-762-1964)



NEW LOOK
SAME FORMULA

WAS
HYDRATE + PLUMP

NOW
HYDRATION+

100% had visibly hydrated, plumper skin.

Start your day by deeply hydrating, visibly plumping, and protecting with RoC® Hydration+ Moisturizer SPF 30. This clinically proven, gel-cream formula uses the power of pure Hyaluronic Acid to quench thirsty, deflated skin to instantly plump away visible lines & wrinkles while providing UVA/B protection.

INVISIBLE ON ALL SKIN TONES

PROVEN RESULTS:

INSTANTLY:
100% had up to a 2X Increase in hydration. Skin is visibly plumper.

IN 1 WEEK:
97% had visibly reduced lines & wrinkles.

RECOMMENDED REGIMEN:

TARGET
HYDRATION+ EYE CREAM

TREAT
HYDRATION+ SERUM

MOISTURIZE
HYDRATION+ MOISTURIZER SPF 30

NEW LOOK

CLINICALLY PROVEN

HYDRATION +

MOISTURIZER

SUNSCREEN SPF 30

+ HYALURONIC ACID

100% HAD VISIBLY HYDRATED, PLUMPER SKIN

BROAD SPECTRUM SPF 30

1.7 FL. OZ. (50 ML)

RoC® IS A LEADING FRENCH SKINCARE BRAND, DEVOTED SINCE 1957, TO DEVELOPING CLINICALLY PROVEN PRODUCTS THAT DELIVER VISIBLE AND LASTING RESULTS.

STRONG PARTNERSHIPS WITH DERMATOLOGISTS HAVE CONTRIBUTED TO OUR EXPERTISE IN UNDERSTANDING SKINCARE AND DEVELOPING FORMULATIONS, WHICH ARE HIGHLY EFFECTIVE YET SUITABLE FOR ALL SKIN TYPES.

RoC® WE PROVE OUR PROMISES.

DERMATOLOGIST RECOMMENDED BRAND*

DERMATOLOGIST TESTED.
PARABEN-FREE.
OXYBENZONE-FREE.
OCTINOXATE-FREE.
NON-COMEDOGENIC.

*In the anti-aging category
ACTUAL SIZE

**HYDRATION +
MOISTURIZER**

Drug Facts

Active Ingredients	Purpose
Azobenzene 2.0%, Homosalate 5.5%, Octisalate 4.5%, Octocrylene 4.0%	Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen use: • Apply generously and evenly 15 minutes before sun exposure • Reapply at least every 2 hours • Use a water resistant sunscreen if swimming or sweating
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: Ask a doctor

Other information • Protect this product from excessive heat and direct sun

Inactive ingredients Water/Aqua/Eau, Pentylene Glycol, Dimethicone, Octyldodecanol, Caprylyl Methicone, Propanediol, Potassium Cetyl Phosphate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Hyaluronic Acid, 1,2-Hexanediol, Hydroxyethyl Sodium Hyaluronate, Biosaccharide Gum-4, Jasminum Sambac (Jasmine) Leaf Cell Extract, Glycerin, Dibutyl Lauryl Glutamate, Carbomer, Aminomethyl Propanol, Dibutyl Ethylhexanoate, Glutamide, Caprylyl Glycerin/Sebacic Acid Copolymer, Caprylylhydroxamic Acid, Disodium EDTA, Fragrance/Parfum.

Questions or Comments?
Call toll free 1-800-RoC-1964 (1-800-762-1964).

FOR MORE ABOUT THE SCIENCE BEHIND RoC®
VISIT: WWW.ROCskincare.com
DISTRIBUTED BY RoC® SKINCARE
NEW YORK, NY 10016
Made in USA with globally sourced ingredients
©RoC



3"

C/L

4.125"

C/L

100% HAD HYDRATED, VISIBLY PLUMPER SKIN.

ACTIVE INGREDIENTS:
Azobenzene - 2.0%,
Homosalate - 5.5%,
Octisalate - 4.5%,
Octocrylene - 4.0%

PURPOSE:
Sunscreen

WARNINGS:
Avoid contact with eyes. If contact occurs, rinse thoroughly with water.

DIRECTIONS:
Apply to face and neck in the morning.
See outer packaging for complete Drug Facts.

Distributed by RoC® Skincare
New York, NY 10016
QUESTIONS Call toll free
1-800-RoC-1964 (1-800-762-1964).
Made in USA with globally sourced ingredients.
©RoC
CPD0192B
1.7 FL. OZ. (50 ML)

**HYDRATION +
MOISTURIZER**

Drug Facts

Active ingredients
Avobenzone 2.0%, Homosalate 5.5%, Octisalate 4.5%,
Octocrylene 4.0% Sunscreen

Purpose
Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For Sunscreen Use:
• Apply generously and evenly 15 minutes before sun exposure
• Reapply at least every 2 hours • Use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months of age: Ask a doctor

Other information • Protect the product in this container from excessive heat and direct sun.

Inactive ingredients water (Aqua/Eau), Pentaerythritol Glycol, Dimethicone, Octyldodecanol, Caprylyl Methicone, Propylene Glycol, Ammonium Acryloyldimethylsulfonate/PP Copolymer, Potassium Cetyl Phosphate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Jasminum Sambac (Jasmin) Leaf Cell Extract, Glycerin, Dibutyl Ethylhexanoate, Glutamide, Biosscharide Gum-4, Dibutyl Lauroyl Glutamide, Carbomer, Aminomethyl Propanol, Caprylyl Glycol, Glycerin/Succinic Acid Copolymer, Caprylylhydroxamic Acid, 1,2-Hexanediol, Disodium EDTA, Fragrance (Parfum).

Questions or Comments?
Call toll free 1-800-ROC-1064 (1-800-782-1064).

FOR MORE ABOUT THE SCIENCE BEHIND RoC®
VISIT: WWW.ROCSKINCARE.COM
DISTRIBUTED BY RoC® SKINCARE
New York, NY 10016
made in USA with globally sourced ingredients
©2020

 

100% had a 2X increase in hydration levels & visibly plumper skin.

Start your day by deeply hydrating, visibly plumping, and protecting with RoC® Hydration+ Moisturizer SPF30. This clinically proven, gel-cream formula uses the power of pure Hyaluronic Acid to quench thirsty, deflated skin to plump the look of lines & wrinkles in minutes while providing UVA/B protection.


CLINICALLY PROVEN



**HYDRATION +
MOISTURIZER** **SUNSCREEN
SPF 30**

INVISIBLE ON ALL SKIN TONES

PROVEN RESULTS:

IN MINUTES:
100% had a 2X increase in hydration levels.

IN 1 WEEK:
97% had a reduction in the look of lines and wrinkles.

RECOMMENDED REGIMEN:

TARGET
HYDRATION+
EYE CREAM

TREAT
HYDRATION+
SERUM CAPSULES

MOISTURIZE
HYDRATION+
MOISTURIZER

+ HYALURONIC ACID

100% HAD VISIBLY PLUMPER, HYDRATED SKIN

**BROAD SPECTRUM
SPF 30**

1.7 FL. OZ. (50 ML)

DERMATOLOGIST RECOMMENDED BRAND*

Dermatologist Tested.
Paraben-free.
Oxybenzone-free.
Octinoxate-free.
Non-comedogenic.

*In the anti-aging category
ACTUAL SIZE



RoC® IS A LEADING FRENCH SKINCARE BRAND, DEVOTED SINCE 1957, TO DEVELOPING CLINICALLY PROVEN PRODUCTS THAT DELIVER VISIBLE AND LASTING RESULTS.

STRONG PARTNERSHIPS WITH DERMATOLOGISTS HAVE CONTRIBUTED TO OUR EXPERTISE IN UNDERSTANDING SKINCARE AND DEVELOPING FORMULATIONS, WHICH ARE HIGHLY EFFECTIVE YET SUITABLE FOR ALL SKIN TYPES.

RoC® WE PROVE OUR PROMISES

CP00193D

ROC HYDRATION PLUS SPF 30

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73496-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 mg in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5.5 mg in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 mg in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	4 mg in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PROPANEDIOL (UNII: 5965N8W85T)	
HYALURONIC ACID (UNII: S270N0TRQY)	
AMMONIUM ACRYLOYLDIMETHYLTaurate/VP COPOLYMER (UNII: W59H9296ZG)	
DIBUTYL ETHYLHEXANOYL GLUTAMIDE (UNII: 0IAF2L30VS)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
BIOSACCHARIDE GUM-4 (UNII: 9XRL057X90)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIBUTYL LAUROYL GLUTAMIDE (UNII: 3V7K3IA58X)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
CAPRYLOYL GLYCERIN/SEBACIC ACID COPOLYMER (2000 MPA.S) (UNII: N7YC58165T)	
JASMINUM SAMBAC FLOWER (UNII: 2S686I937F)	
CARBOMER (UNII: 0A5MM307FC)	

--

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73496-014-01	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	12/08/2025	
2	NDC:73496-014-02	50 mL in 1 TUBE; Type 0: Not a Combination Product	03/25/2025	03/31/2028

--

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/27/2024	

--

Labeler - Roc Skincare (117157981)