

**MUCUS RELIEF EXTENDED RELEASE- guaifenesin tablet**  
**Strategic Sourcing Services LLC**

-----  
**Drug Facts**

**Active ingredient (in each extended-release tablet)**

Guaifenesin 600 mg

**Purpose**

Expectorant

**Uses**

Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive.

**Warnings**

**Do not use**

for children under 12 years of age.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accompanied by too much phlegm (mucus)

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals

- adults and children 12 years of age and over: 1 or 2 tablet every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

### **Other information**

- store between 20° to 25°C (68° to 77°F)

### **Inactive ingredients**

carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

Compare to the active ingredient in Mucinex®\*

Mucus Relief

Guaifenesin 600 mg

Expectorant

Relieves Chest Congestion

12-Hour Relief • Thins and loosens Mucus

Extended-release tablets

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex®.

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed by McKesson Corp.,

via Strategic Sourcing Services LLC,

Memphis, TN 38141

[www.healthmart.com](http://www.healthmart.com)

### **Package Label**

NDC 62011-0377-1

|   |                               |
|---|-------------------------------|
| <b>Drug Facts</b>   |                               |
| <b>Active ingredient</b><br>(in each extended-release tablet)<br>Guaifenesin 600 mg.....  | <b>Purpose</b><br>Expectorant |
| <b>Uses</b> Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.   |                               |
| <b>Warnings</b><br>Do not use for children under 12 years of age.   |                               |
| <b>Ask a doctor before use if you have</b><br><ul style="list-style-type: none"> <li>■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema</li> <li>■ cough accompanied by too much phlegm (mucus)</li> </ul>   |                               |
| <b>Stop use and ask a doctor if</b> cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.   |                               |
| <b>If pregnant or breast-feeding</b> , ask a health professional before use.<br><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).   |                               |
| <b>Directions</b><br><ul style="list-style-type: none"> <li>■ do not crush, chew, or break tablet</li> <li>■ take with a full glass of water</li> <li>■ this product can be administered without regard for the timing of meals</li> <li>■ adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.</li> <li>■ children under 12 years of age: do not use</li> </ul> |                               |
| <b>Other information</b><br><ul style="list-style-type: none"> <li>■ store between 20° to 25°C (68° to 77°F)</li> </ul>   |                               |
| <b>Inactive ingredients</b> carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc  |                               |
| <b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST   |                               |

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex®.

PLD-C517A FC008108 Rev 12/21  
Product of India



Distributed by McKesson Corp.,  
via Strategic Sourcing Services LLC,  
Memphis, TN 38141  
Money Back Guarantee  
www.healthmart.com  
© 2011 McKesson Corporation

**Health Mart.**

Compare to the active ingredient in Mucinex®\*

# Mucus Relief

Guaifenesin 600 mg  
Expectorant

Relieves Chest Congestion  
12-Hour Relief • Thins and Loosens Mucus

ACTUAL SIZE

## 20 Extended-release tablets

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.  
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

### HEALTHMART Mucus Relief

## MUCUS RELIEF EXTENDED RELEASE

guaifenesin tablet

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:62011-0377 |
| <b>Route of Administration</b> | ORAL           |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength |
|---|-------------------|----------|
| <b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN       | 600 mg   |

### Inactive Ingredients

| Ingredient Name                               | Strength |
|---|----------|
| <b>CARBOMER 934</b> (UNII: Z135WT9208)        |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)     |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD) |          |

|   |  |
|---|--|
| <b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)   |  |
| <b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)         |  |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)          |  |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U) |  |
| <b>POVIDONE</b> (UNII: FZ989GH94E)                    |  |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                        |  |

### Product Characteristics

|                 |      |                     |          |
|-----------------|------|---------------------|----------|
| <b>Color</b>    | blue | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL | <b>Size</b>         | 16mm     |
| <b>Flavor</b>   |      | <b>Imprint Code</b> | AN036    |
| <b>Contains</b> |      |                     |          |

### Packaging

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62011-0377-1 | 20 in 1 CARTON   | 09/30/2018           |                    |
| 1 |                  | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA               | ANDA207342                               | 09/30/2018           |                    |

**Labeler** - Strategic Sourcing Services LLC (116956644)