

## **ACETAMINOPHEN- acetaminophen tablet**

### **CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **CVS Pharmacy, Inc. Acetaminophen Drug Facts**

#### **Active ingredient (in each caplet)**

Acetaminophen 500 mg

#### **Purpose**

Pain reliever/fever reducer

#### **Uses**

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

#### **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 6 hours while symptoms last</li><li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

carnauba wax, corn starch\*, croscarmellose sodium\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid

\*may contain one or more of these ingredients

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

Compare to the active ingredient in Extra Strength Tylenol<sup>®</sup>

Caplets

EXTRA STRENGTH

Acetaminophen Caplets 500 mg

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

Pain reliever; Fever reducer

For adults

Easy-open cap

Contains no aspirin

Actual Size

150 CAPLETS

**Drug Facts (continued)**

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have liver disease**  
**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**  
■ pain gets worse or lasts more than 10 days  
■ fever gets worse or lasts more than 3 days  
■ new symptoms occur ■ redness or swelling is present  
◀ These could be signs of a serious condition.

◀ **PEEL BACK HERE**

**DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING**



Compare to the active ingredient in Extra Strength Tylenol®†

Caplets

NDC 69842-168-47

**EXTRA STRENGTH**

# Acetaminophen

Caplets 500 mg

**Pain reliever;  
Fever reducer**

**THIS PACKAGE  
FOR HOUSEHOLDS  
WITHOUT YOUNG  
CHILDREN**

**For adults**

- Easy-open cap
- Contains no aspirin



Actual Size



**150 CAPLETS**

**Drug Facts**

**Active ingredient (in each caplet) Purpose**  
Acetaminophen 500 mg.....Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - minor pain of arthritis
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever
- headache
- backache
- toothache

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product



#346027

: 975H4 17 F4

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

■ do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> <li>■ take 2 caplets every 6 hours while symptoms last</li> <li>■ do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>■ do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

**Other information** ■ store at 20-25°C (68-77°F)

**Inactive ingredients** carnauba wax, corn starch\*, croscarmellose sodium\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid \*may contain one or more of these ingredients

**Questions or comments?** 1-800-719-9260

†This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Extra Strength Tylenol®.

**Distributed by: CVS Pharmacy, Inc.**  
One CVS Drive, Woonsocket, RI 02895  
© 2018 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS

V-17160



## ACETAMINOPHEN

acetaminophen tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-168
---------------------	----------------	---------------------------	---------------

<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>	<b>Strength</b>		
	CARNAUBA WAX (UNII: R12CBM0EIZ)			
	STARCH, CORN (UNII: O8232NY3SJ)			
	HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
	POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
	POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
	STEARIC ACID (UNII: 4ELV7Z65AP)			
	CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
<b>Product Characteristics</b>				
<b>Color</b>	WHITE	<b>Score</b>	no score	
<b>Shape</b>	OVAL	<b>Size</b>	16 mm	
<b>Flavor</b>		<b>Imprint Code</b>	L484	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69842-168-47	1 in 1 CARTON	07/16/2018	
1		150 in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph not final	part343	07/16/2018		

**Labeler** - CVS Pharmacy (062312574)

Revised: 11/2019

CVS Pharmacy